Corner Physical Sarria Out Sept 1 st . 1904 norman. Rusell. Thursday June 1st.

"SCHOOL HELPS" SERIES.

ARITHMETIC EXERCISES

FOR FIRST BOOK CLASSES.

BY

G. E. HENDERSON,

Editor of "The Canadian Teacher,"

AND

MISS R. CHURCH, MISS A. HARDING,

Primary Teachers in Church Street Model

School, Toronto.

PRICE 20 CENTS.

THE EDUCATIONAL PUBLISHING CO.,
TORONTO, 1902

Entered according to Act of the Parliament of Canada, in the year one thousand eight hundred and ninety-seven, by G. E. HENDERSON, MISS R. CHURCH and MISS A. HARDING, at the Department of Agriculture.

PREFACE.

The following exercises are intended to furnish primary teachers with a simple, practical and intelligible method of presenting number to little children.

As Arithmetic is taught not only for its practical utility, but also as a means of mental discipline, it follows that in order to develop thought and awaken interest, the teacher must present the subject with an orderliness of arrangement and a unity of purpose in order to secure clear, definite conceptions on the part of the pupil, and enable him to make rapid and thorough progress.

The plan laid down in the following pages has been tested and found to work satisfactorily. It should be the practice of the teacher to make first the process clear, then to secure skill and quickness in its working. If the process be not clear the working will not be intelligent.

The methods of teaching number presented are not mere theories; all of them have been tested by actual experience in the school-room, and it is therefore to be hoped that this little book may be of value and benefit to many young teachers entering the profession.

THE AUTHORS.



Arithmetic for First Book Classes

NOTATION.

The teaching of notation to very young children requires much care and skill. In it is involved the difficult transition from the concrete to the abstract. The first lessons in number should be given by means of sensible objects. When a child enters the primary room from the kindergarten, he has acquired (by experience in sticklaying, peas-work, mat-weaving, the separating and uniting of cube, etc.) a degree of mental power by the use of his inventive and constructive faculties: he has obtained ideas not only of form, but of number. His first formal lesson in arithmetic should be an interesting one. Children's numerical ideas are often vague and indefinite Use objects, then, and these number exercises will give the pupils distinct ideas of arithmetical quantities.

Arithmetical language is the method by which we express numbers. It is both oral and written. The former is called numeration, the latter notation. The oral guage of arithmetic (numeration) is taught in connec with the development of the idea of number. The ind and the word are so intimately related that the former leads immediately to the latter. As soon as the name of the number is learned the child is to with to express that number in a written character. Wrann language of the

numbers is notation.

Lesson I.

A. Distribute slats (one to each child. Let children "pretend" to go asleep). At the call "Awake" all at once are interested.

T. Who came to see you when sleeping?

P. A slat, a stick.

T. Hold slat in right hand.

T. How many slats have you in the right hand?

P. One slat.

T. Place on the table one bean, one pebble, one slate, one book, &c. Show me one finger, one cube, one marble,

(object being to accumulate instances).

Teacher then places figure (1) on the blackboard, the written character representing the idea. Children make it on their slates. Tell them that it represents one stick, one slat, one flag, one top, one marble, &c. Impress upon them the fact that "1" always means one something, so that they will recognize the written symbol for one.

N.B.—Form of figures might be made interesting by comparing them to different objects. 1 stands straight

like a good soldier.

As before, give another slat to each child. Hold first slat in right hand. How many in right hand? One. Hold second slat in left hand. How many in left? One. Transfer left hand slat to right hand.

How many ones in right hand. Two ones.

We call the two ones by the name Two. Show the form "2" (like a little duck in the water).

Let the children make the FIGURE on their slates.

Make them understand that figure "2" stands for two somethings. Exercise the class in picking out two beans, two marbles. &c.

How many ones in two? Take away one, how many left? How many arms has a man? How many ears has a boy? How many eyes has a girl?

Numbers three to five. Proceed in a similar way.

Testing Exercises.

1. Place groups on the table.

0. 00. 000. 0000. 00000.

a. Let the teacher name them in order. Pupils give the number of the group.

b. Let the teacher point to them irregularly, each group to be named by class individually or collectively.

c. Allow children to place groups on the desk as directed—other children decide whether right or not.

d. Distribute objects, such as beans, peas, &c. Teacher places figure—e.g. (5). Children make group corresponding.

e. Place the group (5) into as many smaller groups as possible. Children led to think of five as five ones, three and two, four and one. So.

f. Arrange your five group in ones.

(1) How many ones? Five.

(2) Take away middle one. How many left? Four.

(3) Make three groups, using the five peas, beans, &c. 2, 2, 1, 1, 3, 1, &c.

This can be made a very interesting exercise. In this way teach the numbers up to nine (9).

Drill pupils in reading and writing numbers to "9," until they are entirely familiar with them.

BUSY WORK.

It is important that from the first children should be trained to make correct forms of the figures. Perfect figure formation is just as necessary as perfect letter formation. It is very difficult for little ones to make some of the figures properly, as many children have a tendency to reverse the forms of some—2, 3, 4, 5, 6, 7, 8, 9. To obviate this a little story connecting the form of the figure with some object children have seen will fix the impression better—e.g.:

- 6—An umbrella handle. Curve must be to the right, because we want to hold the umbrella in the right hand.
- 3—Have children make two apples—o.

 Tom takes a big bite out of his—o

 Nell takes a big bite out of hers—o

 This is how the apple looks—3.
- 4—L is a chair with perforated seat. Roy put a darning needle through one of the holes.

 This is the chair L.

 This is the knitting needle!.

 The chair with the knitting needle looks like this 4, figure 4.
- 8-Snake, the head, of course at the top, but to the right, thus—S. 8, e.g., 8, twisted, coiling shape of body shown—8.

These illustrations are only suggestive. Every teacher will have certain devices of her own. See that every child learns the correct formation of the figures at this stage. This will save a great deal of trouble afterwards.

1. Make a row of 1's standing like soldiers. Let them stand in the school yard:

11111111111111

2. Make a row of 2's climbing a ladder:

	2	
	2	
	2	
Г	2	
	2	
	2	
Г	2	

For variety, let them be little ducks in the water. They must be perfect ducks if they want to swim well.

3. Make a row of 5's going up the hill. They look like fat little boys holding Jubilee flags. Let the children make the hill. Make four "5's" going up the hill, and three "5's" running down.

4. Place groups irregularly, e.g., people looking at the

Jubilee procession:

Let the children place number in group underneath.

Teaching of Ten.

Review the numbers one to nine. Distribute ten slats to each child. Let the children pick up slats till the tenth is reached.

T. Hold nine slats in the left hand. T. Hold new slat in the right hand.

Transfer the right hand slat to the left one. How many altogether? Give the new name ten. Let them show the ten slats and name them.

Pick out ten beans, ten marbles, &c.

T. Now, we are going to play a game, and the rule of the game is. that when we get ten slats we must tie them up in a bundle; if not, we are out, and cannot play.

(Distribute rubber bands, bits of string. Let children

make the bundles.)

T. Hold bundle in left hand.

T. How many bundles have you? One. T. How many slats in a bundle? Ten.

T. We call it a ten bundle.

Next write symbol for ten on black-board. Children see that it means ten-something as before. Test as be-To designate the ten and its position use colored chalk-thus. 10; or make the one indicating the ten in heavy line, and the cipher 0 in a lighter way.

Another interesting way: Make a two-roomed house call the right hand room the units, and the left hand room the tens. The children have the bundle in the left hand and no slats in the right, so that they will easily see where to put the tens and the units. They have one bundle

in the left hand, so we place "1" in the left hand room, no slats in the right hand so we place "0" in the right hand room.

We will put our little bundles in the second room, called the tens room, all the single slats in the first room (units).

T. When we tied our ten slats in a bundle, had we any

left? No.

Pupils are led to see that since one ten is expressed by a "1" in the second place we need a character to express no ones in the first place. We tell them that we use the 0, nought, for this purpose; thus, ten is represented by 10, which is one ten and no ones.

This method is rational and practical, showing the principle of place value. Children have no trouble in under-

standing it.

Teaching of "11."

Teacher distributes slats as before.

T. Take bundle in left hand. T. Take one slat in right hand,

Idea is now gained. Let the idea now be represented one ten and one = eleven. Give name.

Place in the house as be' re.

How many bundles have you? One.

Where do we put our ten bundle? Tens' room.

Where do we put our single ones? Units' room, first

Let them make the symbol for eleven—11.

See that they understand that the ten and the one make Name is then fixed to the symbol.

Nos. 11-19.

Numbers 12, 13, &c.—19—taught in a similar manner. Associate the greater value of the ten with its position. Use colored chalk to designate the ten. Besides interesting the children it will fix the impression of the symbols more firmly.

20.

As before, on reaching 19, another slat is given played as before. When we get ten we tie them up in a Draw the two roomed house, designating the tens' room and also units' room.

How many bundles now? Two. How many in each bundle? Ten. How many tens have we? Two.

Give name and symbol for the two bundles. Twenty. Twenty means how many tens? Two.

Copy symbol. Place in the nouse:

20-30.

Process practically the same. Teach to 20, using objects. After that stage there is no further necessity for them, except perhaps for one or two individual pupils.

Teacher may exemplify or elve have two children come up: one holds three bundles. That means three tensnew name—thirty.

T. Who will come up and find:

Let them arrange the numbers in the house in order from one to 39, &c.

32 33
34 35
36 37
31 38

When children are ramiliar with the new names for symbols, 30, 40, 50, &c., up to 90, the connection between them and the numbers from 12 to 20 might be contrasted and explained thus: 3—three.

13—thirteen. 30—thirty.

Let the children see that "teen" always means one ten, and that the termination "ty" means or may mean two tens (20), four tens, as in 40, six tens as in sixty—in short, "ty" signifies many tens. Never one ten.

The principle of decimal notation is taught when children are able to write tens and units. They know that a figure in the second place means tens, in the first place, units, and that ten units make, or are equal to, one ten.

Pupils should then readily analyze numbers as follows:

25 = Two tens, five units.

56 = Five TENS, SIX UNITS.

Notation of Hundreds.

Class know thoroughly up to 99.

Another slat is added, making the tenth bundle complete.

Game—again the same; when we get ten they are to be tied up in a bundle.

How many bundles? Ten.

How many in each bundle? Ten. We have then how many? Ten tens.

Tie them up in a bundle—one big bundle. (ten) bundles make one big (hundred) bundle. Give new name for this one bundle—ten tens.

Ten tens make one hundred. Write symbol for new

number—100.

Use colored chalk to designate the new (third) room needed.

Draw a three-roomed house, designating units, tens, hundreds.

How many big (hundred) bundles? One. How many little (tens) bundles? None.

How many single ones? None.

Place our new number in the house. Show the new three-roomed house.

The hundred bundles placed in the third room associate its greater value with its position. Children see that it takes ten of the little (ten) bundles to make one of the big (hundred) bundles. Class copy symbol and repeat the name—one hundred.

101-110.

Next step equally simple:

Make use of the three-roomed house as before.

One big (hundred) bundle.

One big (hundred) bundle and one slat. One big (hundred) bundle and two slats.

One big (hundred) bundle and three slats, etc., up to 109.

One big (hundred) bundle, one tittle (ten bundle) =

Teacher may call three children to the front of the class:

One to represent hundreds

One to represent tens.
One to represent units.

The child representing hundreds holds the one big (hundred) bundle in his hand; the child representing tens holds nothing till 110 is to be taught, when he is given one little (ten) bundle; the child representing units is first given one slat—101 is formed.

two slats—102 is formed.
three slats—103 is formed.
four slats—104 is formed, etc.

Children at seats make the number as formed by the children.

And so the process goes on. Next steps equally simple, till 999 is reached.

Ten of the hundreds made into another big bundle, called one thousand, another room is required, and so on.

Points to be Remembered.

Keep work simple. Let child think for himself.
Drill pupils frequently on reading and writing numbers.

Let them often analyse numbers, e.g., seventy equals seven tens. 320=three hundred—two tens.

Absent bundles, or single ones, expressed by "0"—for example: 420-4 hundreds,

2 tens.

Absence of units expressed by "0."

This method of teaching notation teaches numeration as well, and very young children will read with skill and accuracy very difficult numbers.

Chief value of this method is that it accustoms children to associate increasing values with figures as they proceed to the left.


The teaching in reading and writing large numbers should be given gradually. Do not hurry over the subject. Make haste slowly.

Number Games.

1. Make all the numbers you can from a given set of numbers. For example: 1, 2, 3 are given numbers. This is a very good exercise for busy work:

1
2
3
12
13
21
31
23
32
123
132
213
231
312
321

2. From a certain given set of numbers form the largest numbers possible, also the smallest.



The numbers are 1, 2, 7, 0. Place the largest in the large oblong box, the smallest in the small box. This is a good practice, the value of the nought to the right and the left being shown. Largess

7210, smallest 127.

3. Let three children come to the front of the room, bringing their slates with them. Johnny, representing hundreds, takes his position; Jenny, representing tens, is his next door neighbor; Willie represents the units.

Teacher, with colored crayon, writes certain numbers on each slate, e.g., 6 on Johnny's, 3 on Jennie's, 4 on Willie's. Children at the seats tell the numbers. (1) Write it in figures on the slates; (2) or write it in words. 634 is the answer. This game is very interesting as a rest after the formal arithmetic lesson.

Devices for Impressing Notation.

A. Teacher holds up a certain number of slats; children

represent the number in figures on their slates.

B. Teacher holds up a certain number of slats; children write number in words, e.g., 1 bundle (ten) and two slats; twelve is written,

C. Teacher writes a number on board, e.g. (48); children come up and pick out the number of slats necessary

to form that number.

4 (tens) and eight slats.

D. ...umber building: Make 4, 14, 34, 134, 734, etc.

E. Analyse numbers: Write the number that means

4 hundreds and one ten. 410, etc.

F. Teacher writes a number in words on the board, e.g., four, children write figure corresponding; then fourteen, children write figure as before; then forty, then four hundred, etc.

G. These are only suggestive. Teacher may find many interesting little devices to interest little ones in their

work at this stage.

Let them make pictures of Mrs. Ten's children: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19. Mrs. Forty's children: 41,

42, 43, 44, etc.

A thorough knowledge of Notation and Numeration will remove the usual difficulties of the fundamental rules.

Numerical Periods.

The pupils should be taught to separate written numbers into periods, and to name and remember these

periods.

Here it will be seen that the law of giving a new name for each higher group of tens is changed to giving a new name for each third group, and that the intermediate names and places are tens and hundreds.

Draw two houses adjoining one another, each having three rooms. When millions are taught make the third

house.

Call attention to the neighbors:

Mrs. Units and Mrs. Thousands (Mrs. Million later on).
They live next door to each other; each has three little children: Mrs. Units (the baby) Units,

(the tens) of Units, the hundreds of Units.

Mrs. Thousands (the baby) thousands,
(the tens) of thousands,
the hundreds of thousands.

Refer to children's names, their Christian names and aurnames.

In the units peroid (house) units is the numbers' surname.

In the thousands period (house) thousands is the numbers' surname.

Let them build the house, remembering Mrs. Units only has three children. each having his own room; Mrs. Thousands only three children, each having his own room.

Draw the house as above.

Give numbers: To be read (1) with one period; (2) with two; (3) with three periods (when we have reached that stage).

Let the children separate the numbers into periods, always beginning with the units, then name the periods, remembering in what order they come. When addition answers are obtained, teach children to mark answers so that they may read them intelligently

Notation.

1. Write in words:

10	100	770
16	110	843
28	119	990
35	230	999
49	348	000
80	579	
92	667	

2. Write in words:

1	9	8	1010
10	90	18	2506
100	93	78	4700
1000	903	708	5304
1006	930	718	5540
1060	934	798	8020
1600	9304	7098	9000

3. Write the numbers ending in "0" from 1 to 1000.

(1) In figures; (2) in words.

4. Write the numbers ending in "8" from 1 to 200.

(1) In figures; (2) in words.

5. Write the numbers ending with "teen" from 1 to 100. (1) In figures; (2) in words.

6. Write all numbers ending in "ty" as far as 100.
(1) In figures; (2) in words.

7. Write in figures:

- (a) Fifteen.
- (b) Ninety.
- (c) One hundred.
 (d) Two hundred and ten.
- (e) Three hundred and nineteen.
- (f) Four hundred and seventy.
- (g) Eight hundred and eighty-five.
- (h) Two thousand.
- (i) Three thousand and sixty.

8. Write in figures:

- (a) Four thousand.
- (b) Four thousand and four.
- (c) Fourteen thousand four hundred and forty.
- (d) Twenty-seven thousand aix hundred and sixteen.
- (e) Forty-eight thousand.
- (f) One hundred thousand.
- (g) One hundred thousand one hundred.
- (h) Five hundred and forty thousand six hundred and ninety-nine.
- (i) Nine hundred thousand and nine.

9. Write in words:

(1)	(2)	(3)
10000	100000	460006
20603	100100	528080
37450	100210	603902
40800	200348	784815
59627	270625	819096
90090	308099	900070

10. Write in figures the number that means:

- (a) One ten, and two.
- (b) Four tens.
- (c) Eight tens and eight.
- (d) One hundred and two tens.
- (e) Two hundreds no tens and six.
- (f) Five hundreds and three tens.
- (g) Nine hundreds, nine tens and nine.
- (h) Ten hundreds.

11. Write in words the numbers that mean:

- (a) One thousand and two tens.
- (b) Two thousands, three tens and six.(c) Ten thousands, two tens and four hundred.
- (d) Twelve thousands, two tens and four hundred.
 (d) Twelve thousand, four hundreds and twelve.
- (e) Sixty thousand and two tens
- (f) Eighty-five thousand nine hundreds.
- (g) Nine hundred thousand and nine tens.
- (h) One hundred thousand.

Numeration Exercises.

Read:				
(1)	(2)	(3)	(4)	(5)
900	2703	9099	46703	227340
908	4906	9900	50000	305025
996	5504	10000	90204	456073
1000	6720	10016	95000	789674
1007	8009	20070	100000	900002
1017	9905	30850	100006	999909
1710			100600	

ADDITION.

As soon as pupils have the ideas and names of numbers, and can read and write them, they should begin to unite and separate them; that is, perform the processes of ad-

dition and subtraction.

Addition and subtraction should be taught simultaneously. Thus, as soon as the child sees that 3 and 2 are 5 he is ready to see that 5 less 2 is 3, or 5 less 3 is 2. Thus, also, in finding the difference between 7 and 3, instead of counting 3 off from 7 to see what remains, he should infer the difference by knowing that 4 and 8 are 7. The synthesis of numbers in obtaining the sum should be accompanied by the analysis of numbers in finding the difference. It is necessary to have some systematic plan of teaching the addition table, and the following has been found to be the most rapid, most intelligent and most readily acquired.

Beginning with the tens-

5	9	1	8	2	6	4	7	3
5	1	9	2	8	4	6	8	7
10	10	10	10	10	10	10	10	10

1. Five and five—1st combination taught.—To begin with this combination enables the child to apply this knowledge almost immediately.

Number of Combinations.

In addition there are forty-five combinations to teach. They are as follows:

A.	Tena,	5+5 {1+9 9+1 {2+8 8+2 {4+6 6+4 {3+7 7+3	Those numbers whose sum is 10 or whose sum ending is "0," e.g., $14+6=20$ $27+3=30$, &c.
			(13)

B. Doubles.	9+9	C193.000	31	
	8+8	sum e	nding	8 "
	7+7	66		"6"
		6.		"4"
	6+6	66		2"
	4+4	66		"8"
	3+3	66	46	6
	2+2		6.6	4
	1+1	4.6	4.6	2
~				
C. Nines.	1+8 or	8+1		
	3+6	6+3		hoop mile
	4+5	5+4		nose whose sum is "9"
	2+7	7+2	nine	hose sum ending is
			Tittle	•
D. Eights.				
4-4 (hoveber	1+7 or	7+1	T	nose whose sum is
4+4 have bee	n o+3	3+5		or whose sum ending
9+9 \ taught.	2+6	6+2	is "	B."
E. Sevens.	116	0.1.4		
	1+6 or			
	4+3	3+4	Th	ose whose sum is
	2+5	5+2		OF Whose sum and
	9+8	8+9	ing is	1.7."
	_			
F. Sixes.	145	E 1 4		
3+3 have been	1+5 or		The	ose whose sum is
8+8 taught.	0.17	2+4	0	OF Whose sum and
odugni.	0 +7	7+9	ing is	"6."
G. Fives.	1+4 or	4.1.1		
	3+2	2+3	First	
	O		Tho	se whose sum is
		7+8	0	or whose sum and
	7-0 (3+9	ing is	" 5 ."
•				
H. Fours.	1+3 or 5	3-1.1	m.	1
T# (Have been)	9- 1 -10 F	10	11100	e whose sum is
+7 taught. 8	3+6	3 + 8	4	or whose sum and
		70	ing is	4 "

I. Threes.	1+2 or 4+9 6+7 8+5	2+1 9+4 7+6 5+8	Those whose sum is three, or whose sum ending is three.
J. Twos. $1+1$ have been $6+6$ taught.		5+7 9+3 8+4	Those whose sum ending is "2."
K. Ones.	2+9 or 4+7 3+8 5+6	9+2 7+4 8+3 6+5	Those whose sum ending is one.
Of comme Alex	1 4 4.9		

Of course, the subtraction table will be the converse of this.

10-2=8 10-5=5 18-9=9, &c.

Addition and subtraction should be taught by means of objects. It is the way in which the pupils really must attain the sums of numbers if they are to understand them. They should be trained to see the sums before they say them.

Do not use objects for a great length of time. Children should be led from concrete to abstract; from seeing aums and differences to thinking them.

ADDITION. -LESSON I.

N.B.—Ask each child to bring a little cotton bag, into which are placed eighteen (18) pegs (18=9+9, highest combination taught). The pegs are easily handled, and found to be the most advantageous objects in teaching addition.

To teach 5 + 5 = 10.

Ask pupils to place their pegs in a little pile at centre or at the bottom of their slates.

T. Place 5 pegs side by side at the top of your slates, e.g.:

1 1 1 1 1 5

Opposite with slate-pencil place the no. of the group.

T. Now pick out five more pegs. Place these underneath the first group of pegs, e.g.:

1		1			1		1		1- 5 1- 5	
Ī	1	ı	1	1	F	1	1	1	1-10	
			В.	B	B. 1	pic	tu	re		

As before write symbol of second group opposite.

T. How many pegs in 1st group? Pupil—Five.
T. " " " 2nd " ? " Five.
T. " " " altogether? " Ten.
How many are five pegs and five pegs? Ten pegs.
" " " boys " " boys? Ten boys.

N.B —Subtraction can be taught simultaneously with addition. Incidentally also multiplication and division. For instance, in the above combination, when the sum of 5 and 5 is obtained, the children easily and readily obtain the difference.

T. Take away five, how many left? Five.

1. Ten less five, how many? Five.

2. How many fives do we have to take to make ten?

3. Play the 10 pegs are soldiers; let them march in twos. How many twos? Five.

Take one (small) bundle of slats, and five more. Children readily answer.

How many slats altogether? Fifteen.

Fifteen =
$$ten$$
1 and 5=15
Take 5 more slats = ten
5= 5
How many are five and five = ten

We already have one ten and this ten make how many tens? Two tens.

Two tens = twenty.
$$\therefore 15+5 = 20$$
.

So on with 25+5, and the other parts of the table.

DRILL.

When table is completed, drill in many ways till children know it perfectly.

1. Let the children repeat the table :

(1) Without answer:

constant figure; (3)

inconstant figure.

(3) Let them repeat the table rapidly now without guide of any kind.

NEXT STEP.

To show that any digit added to a number ending in "0" will have for its sum ending the digit added. This is merely put in the form of a sum, thus:

Take a ten bundle and six slats.

How many ? 16.

Take two (ten) bundles and nine. How many? 29.

This lesson is easily taught and readily understood; the children give the answers rapidly and accurately.

We are now ready to apply our knowledge. Little sums may now be given both mentally and for slate work.

For mental work, examples given quickly, as 10llows:

Five, five, five.
Five, five, five, five, six.

Slate work, easy at first:

		8
9	5	5
5	5	5
5	5	5
5	5	5
5	5	5
		5

Have these little sums added rapidly. Insure against counting right from the beginning.

NEXT STEP.

Combinations 1+9, 9+1.

Teach as before—Form table—drill. Give examples—for mental and slate work.

Table 9 9 9 9 9 9 9 8 &c.

No necessity to take the numbers : n order in the formation of the table, ϵ g.,

9 9 9 9 9 1 dc.

This means, of course, when teaching the table when pupils are repeating the table, the numbers, of course, should be given in order, e.g.,

9 9 9 9 9 &c.

CARRYING.

Carrying may now be introduced.

Take sum $\frac{85}{95}$

Draw a little two-roomed house, making the tens' room and the units' room.

85 = eight (tens) and five. 95 = nine (tens) and five.

Five and five are how many? Ten.

Ten means one bundle and no single ones. Let the children show the tens' room. We have now one more ten to bring in, five, five are how many? Ten. Carry our one ten to its own room, then we have one ten, nine tens, and eight tens. Altogether how many? Eighteen tens, eighteen tens or one hundred and eighty = 180.

Tables should be committed to memory. Teacher simply says: Table, five, five.

Pupils repeat it rapidly.

METHODS OF IMPRESSING TABLE.

(1) Oral repetition, as above, individually and in class.

(2) Place numbers down irregularly, as 5 25 15 45 35, &c.

Every time teacher points add five. Children give answers rapidly

(3) Number wheel. Teacher points to number on circumference of wheel. Pupils add to this the number in centre and give answers rapidly.

N.B.—Draw a circle on board, place "5" in centre, at distances on circumference place numbers 15, 35, 25, 45,

(4) Let the pupils write out the table neatly on slates.

(5) Care should be taken that there is no guess work, but that each child understands the process clearly, then and only then will the working be intelligent.

Introduce next combinations, 2+8, 8+2.

So on with the others that make ten.

The teacher should have a book in which are placed

sums involving combinations taught. To make these sums, begin from the bottom upwards. For the guidance of the teacher, many sums will be found at the end of this little book which apply the new combination as soon as it is taught, and also review the old ones. Rapidity and accuracy are easily secured, and very young children learn to add without the habit of counting.

In all the combinations impress the sum ending. Thus,

5+5 ends in "0" &c.

The signs + and - may be introduced at this stage,

and readily understood.

To fix the combinations, to awaken interest and give variety, sometimes have a little game. Make a house—some of the little numbers live here. Mrs. Ten is the mother. Who are her children? The twins, 5 and 5 play always together. 1 and 9 walk to school together, 4 and 6 stay home help mother, 8 and 2 play under the tree when they come from school, 3 and 7 play always together.

N.B.—Draw a little house, call it Mrs. Ten's house; place the numbers as designated.

Points to be Remembered.

1. In the new combinations taught bring in always what has already been learned. For example, when the "eights" are taught, in the mental and written work con-

stantly review the nines, doubles and tens.

2. Individual adding should be conducted at least once a day. Every child should be asked to add orally. If this practice is continued and no new combination taught till the old ones are thoroughly mastered the result will be intelligent, rapid and accurate addition.

3. Teach the combinations in order. Do not leave one till the children have obtained perfect mastery over it,

and can use it readily and intelligently.

The combinations are given in the order taught, and a sample table is also given; one from each set of combinations.

SAMPLE TABLE

		-	MANUF E	- 17	ULL		•
	FR	OM BAC	H SET	OF CO	MBINAT	IONS.	
Tens—	8 2	8 12 —	8 22	32 	8 42	8 52	8 62 &c.
	8	2 18	2 28	2 38	48	2 58	2 68 &c.
	Im	press e	ndings,	2+8	ends in	" 0."	
Doubles-	7	7 17 —	27 —	7 37 —	7 47	57 —	7 67 ♣c.
	Im	_	nding	7+7 er	nds in	" 4."	
Nines—	5 4	5 14	5 24	5 34	5 44	5 54	5 64 &c
	4 5	4 15	4 25	4 35	4 45	4 55	4 65 &c.
	Im	press e	ending	- 4+5 e: 5+4	nds in	- "9."	_
Eights-	2 6	2 16	2 26	2 36	2 46	2 56	2 66 &c.
	6 2	6 12	6 22	6 32	6 42	6 52	6 62 &c
	Im	p ress e	nding	2+6 en 6+2	nds in	"8."	
Sevens-	8. 9	8 19	8 29	8 3 9	8 49	8 59	8 69
	-	-	-		_	-	17.0

	9	9 18	9 28	9 38	9 48	9 58	9 68
	In	npress	ending	9+8 e 8+9	nds in	"7." "7."	_
Sires—	9 7	9 17 —	9 27	9 37	9 47	9 57	9 67 &c.
	7 9 —	7 19 —	7 29 —	7 39 —	7 49	7 59	7 69 &c.
	Im	press e		9+7 en 7+9	nds in	" 6."	
Fives—	7 8	7 18	7 28	7 38	7 48	7 58	7 68 —
	3	8 17	8 27	8 37	8 47	8 57	8
	Im	press e		3+7 en 7+8	ds in	5."	
Fours—	5 9	5 19	29 —	5 39	5 49	59 —	5 69 &c.
	9 5	9 15	9 25 —	9 35	9 45	9 55	9 65 &c.
	Im	press e	nding 9)+5 en 5+9	ds in	(4." (4."	
Threes—	7 6	7 16	7 26	7 36	7. 46	7 56	7 66 &c.
	67	6 17	6 27	6 37	6	6 57	67 &c.
			-		CONTRACTOR OF THE PARTY OF THE		-

	In	npre ca	ending	6+7 e 7+6	nds in	"3."		
Twos-	8	8 14	8 24	8 34	8 44	8 54	8 64	&c.
	4 8	4 18	4 28	4 38	4	4 58	4	&c.
		-	nding	_	- ads in	" 2."	_	ŒC.
Ones-	9	9	9	8+4 9	9	9	9	
	2	12 - 2	22 - 2	32 2	42 - 2	52	_	&c.
	9	19	29	39	49	8 89	69 —	&c.
	Im	press e	nding	2+9 ei 9+2	nds in	"1."		

Suggestions for Attaining Rapidity.

1. Teacher holds cards on which are two digits, 8

and says: "I shall show you a card just a second; when I hide it write on slates (1) the sum of the two digits, 15, (2) the two numbers that made the sum (7 and 8). (3) also the difference of the two numbers (1).

N.B.—The boys may give the sum, the girls the differ-

ence, and vice versa.

2. Place a number of strokes (soldiers) in groups. Ask how many altogether first, (2) how many groups, (3) what the groups were to make up the total. For instance:

111, 1111, 11.

9 altogether.

3 groups.

Three, four, two made up the nine.

3. Let the children count by twos, threes, in concert; at a certain signal all stop—then tell how many twos, as

> 2, 4, 6, 8, 10, 12, 14-7 twos. 3, 6, 9, 12, 15—five threes.

4. Sets of addition columns are placed on blackboardsay, eight columns, one corresponding to each row in Select eight pupils to come to the board, let your class each pupil stand with back to the board, crayon in hand. Let the children in seat take column (corresponding to their row) down on their slates; at a given signal all add, those at the board as well. The idea is to see who has added the most quickly and accurately; besides. it adds a pleasing variety to the work.

5. Have races. Teacher selects any number, say 2. At the word "go" they all start at 2, adding two every time till 100 is reached, which is goal. Whoever is done first

rises—if correct he wins the race.

Take the other digits another time. Teacher says 13add two-Go. When 99 is reached, stop.

6. Place numbers in two columns. Call one the plus

house, the other the minus house, e.g.:

	-	,
+	-	This is a splendid exercise. It keeps up
4 2 1 6 3 8	9 3 2 4 7 6	interest as well as exciting it. The teacher points to certain numbers. The operation is indicated by the house the number is in. For instance, the teacher points to 2, 6, 3, in the plus house, and to seven and two in the minus house. Answer, of course, is two. $11-9=2$.
5	5	Two. 11-#=2.
9	8	This forms a good introduction later on
7		for such suchisms as 400 : EOF O14 : OOF

n later on for such questions as 423 + 567 - 314 + 287- 109, etc. :

+ 423 567 287		1277 - 423 = 854.	Answer.
1277	423		

Questions.

INVOLVING COMBINATION 5+5.

	(14) (15)	(1	6)	(17	7)	(18)	(1:	9)	(20)	(21)	(2	(2)
	85 95 180		55 55 95	919	5	56 58 95	5	59 51 99	11 98 98	5	54 55 95	95 19 91	5	5 0 5
			05	20	7	200	B	209	20	1	204	205	20	00
(1)	(2)	(3)	(4)	5+ (5)	5, (6)	1+	9, (8)	9+1	(10)	-8, (11)	8+2 (12)	2.	(14)	(15)
8	6	7 5 5	7	6	_	_	6 8		9	3 8	7 9	_	_	
8 2	9	2 8	8 2	9	2 8	9 1 0	2 2 8	7 1 9	1 9 1	2 5 5	1 5 5	4 1 9	6 9 1	7 8 2
9 1 5	2 8 2	9	9	28	19	2 8	9	8 2	5 5	2 8	5 5	5 5	5	1 9
5	8	8 2	9	5	8 2	9	5	9	8 2	9	5 5	8 2	8	5
38	36	47	37	36	34	30	46	37	40	43	47	34	36	37
	16) —	(1	7)	(18	3)	(19)) ((20)	(21)) (22)	(23)	(24	1)
	79 51	6 9		32 58		45 95		12	85		15	89	11	
	58	1		51		12		98 11	15 92		95 15	25 80	59 51	
- {	82	8	1	89		88		89	88		35	9õ	88	
	270	26	0	230)	240	2	210	280		10	289	210	
(25)	(26	3)	(2	7)	(2	28)	(29)	(3	(0)	(31)	((32)
879		65	9	78	35	3	70	4	<u>-</u>	8	- 32	642		410
951		19		12	1	2	ō9		91		58	958		419 950
158 882		919		98			51		15	18		152		151
		-00	_	88	0	8	99	8	85	88	39	888		899
2870	0	265	0	278	30	23	79	24	170	26	30	2640	2	419

New	Comb	inations,	3+7.	7+3-
-----	------	-----------	------	------

1	2	3	4	5	6	7	8	9	10	11	12	13	14
7		_	_	7	_	2		8	2	6	8	2	6
4		7	9	2	9	7	9	9	9	9	4	4	7
6	6	3	1	8	1	3	1	1	1	1	6	6	3
9	1	3	7	7	3	4	7	6	7	7	7	7	7
1	9	7	3	3	7	6	3	4	3	3	3	3	8
8	7	7	3	4	7	1	6	7	4	7	9	7	3
	3	3	7	6	3	9	4	3	6	3	1	3	7
28	7	8	4	7	9	8	4	7	3	4	7	9	7
8	3	2	6	3	1	2	6	3	7	6	3	1	3
7 3	3	7	4	9	4	5	1	2	7	2	7	1	2
3	7	3	6	1	6	5	9	8	3	8	3	9	8
	_	_		_	-	_	-	_		_	-	_	_
57	46	50	50	57	50	52	50	58	52	56	58	52	56

1	2	3	4	5	6	7	8
_		_	_	-		77	-
		97		57	68	35	27
49	69	73	98	33	72	75	
63	44	32	14	79	37	75 34	27
77 37 33 77 73	76 37	73 32 38 79 71	76	41	37 93	96	73 87 43 68
37	37	79	37	66	17	17	68
33	73 32	71	76 37 33	94	93	83	92
77	32	31	77	18	15	27	11
73	78	69	73	62	65	63	69
409	409	490	408	450	460 "	507	420

1	2	3	4	5	6
779	749	001			
		991	897	472	378
334	367	117	773	458	737
426	353	373	334	656	743
687	757	737	796	174	363
783	323	473	317	938	757
327	789	632	783	772	357
673	671	488	321	339	983
-		625	669	661	127
4,009	4,009	5 65			563
			4,890	4,470	
		5,001		,	5 008

1	2	3	4	5
				7976
				3131
		8392	2995	7299
		2717	8113	3813
7766	5749	7733	7737	7777
3347	5364	3377	3374	3337
2393	3396	6273	4776	7923
8717	7712	4834	6332	3186
3783	9588	4876	9278	8894
7327	1522	6231	1832	2216
6673	6678	5 569	5568	4454
40,006	40,009	50,002	50,005	60,006

4+6, 6+4 New Combinations.

1	2	3	4	5	6	Ħ	8	9	i	11	12	18	14
_	_	_	_	_	-	scribbers in	_	March 40000	-	_	3	_	_
											9		
8	5	2	7	6	1	3	2	3	4	8	ĭ	5	7
	4	4	2	5	6	5	6	4	6	6	8	9	6
2	6	6	8	5	4	5	4	6	4	4	2	1	4
4	9	6	6	2	Ü	6	4	4	4	4	4	4	4
6	1	4	4	8	4	4	6	6	6	6	6	6	6
6	8	9	4	9	2	6	9	4	6	9	8	6	8
8 2 4 6 6 4 6	2	1	6	1	8	4	1	6	4	1	2	4	2
6	8	9	5	1	8	2	9	5	4	4	9	2	8
4	2	1	5	9	2	8	1	5	6	6	1	8	2
_	_	_	_	_	_	_	_	_	_			_	
49	45	42	47	46	4L	43	42	43	44	48	53	45	47

1	2	3	4	5	6	7	8	9	10
		_		45	47	_			-
49				47	47		85	93	52
62	59	94	11	62	65	39	29	11	54
88	21	46	49	28	85	51	91	49	96
24	24	64	64	86	24	56	16	66	16
96	96	96	26	94	96	54	44	44	64
16	16	18	88	11	16	54	64	68	45
54	84	52	82	59	84	86	86	52	85
59	26	52	25	51	28	24	28	51	25
61	64	68	65	69	62	66	62	69	61
509	450	490	410	507	507	430	505	503	502

1	2	3	4	5	6	7	8
				987			
821	374	893	681	124	879	731	754
459	946	457	199	456	651	699	696
652	161	654	914	652	452	412	
948	429	926	256	698	428	858	
165	685	189	858	419	684	254	
845	585	681	982	481	486	486	882
266	525	421	126	629	624	624	225
664	665	669	664	561	666	666	665
4,820 4	,370	4,890	4,680	5,007	4,870	4,730	4 750
1		2		3	4		5
		7571		9785	397	<u>'5</u>	5274
6945		4489		4815	464		9446
4162		6624		6294	646		1662
9448		294 6		5446	946		4648
1668		8166		5668	164	4	6461
5862		8954		8682	864	6	8589
5241		2 152		2421	246	4	2521
6679		6668		6669	666	6	6669
40,005		47,570	4	9,780	43,97	0	45,270
- 1		2		3	4		5
58753	3	27529	-	75174	2737	71	73765
11997	7	45491		19496	4594		45415
99114	_	65614		31612	6516		65699
94246	-	19256	5	98948	1928		22491
16866		91854		2169	9185		88616
84984		89286	8	36851	8928		98984
26121	-	21824	2	24251	2182		12126
66669	•	66666	•	36669	6666		66664
458,750)	427,520	478	5,170	427,37	0 4	73,760

5+	5, 1	+9, 9	9+1,	2+8,	8+2,	4+6,	6+4	, 3+		
9 5 5 5 5 5 5 5	8 5 6 4 6 4	6 7 3 6 4 7 3	7 3 8 2 8 2 8 2	5 5 8 2 9 1 9	3 7 1 9 6 4 7 3	7 4 6 8 2 9 1 5	5 3 7 7 3 2 8 7 3	5 4 6 6 4 2 8 6	2 3 7 6 4 1 9 1 9 5 5	8 7 3 4 6 8 2 2 8 1 9
39	38	36	40	40	40	47	45	- 45	52	-
59 55 65 45 85 - 309	5 5 6 4 8 -	5 5 6 4 -	69 51 58 62 47 73 — 360	98 19 71 39 81 — 308	72 48 61 69 41 79 370	17 43 62 68 48 72 — 310	42 58 59 71 39 71 34		32 78 35 85 25 75	11 97 23 84 56 56 74 401
978 139 561 545 785		945 166 874 231 789	44 66 1' 9: 7'	72 58 56 74 38 72	633 479 861 245 785 3003	436 894 211 688 421 771 343	4 5 5 5 5	916 224 889 651 458 772		572 248 867 563 544 776

-	١	ė	r	۱	L
ĸ	ĸ	ь	h	ı	
	k	4	п	s	

ABITHMETIC.

5672	4672	6461	6761	4594	5261
6858	5298	9139	9529	6317	5843
4259	5815	1978	1581	7753	7317
9861	9695	5262	9699	3952	3792
1241	1416	5845	1411	6148	6958
7779	7774	7775	7779	4062	4154
				7678	6676
35670	34670	36460	36760		-
				40504	40001
62434	34356	547	739	14317	95249
48672	76759	563	375	96791	15865
99418	29841	399	965	39229	59145
11699	81268	711	142	71885	51969
76591	85862	589	248	85865	98371
34512	25243	528	362	25245	12732
66678	66677	660	678	66675	66678
400004	400006	400	009	400007	400009

Review Exercises.

			TEN	87			
5	1	9	3 2	6	4	7	3
5	9	1	2 8	4	6	3	7
-							
5	5	9	1		8	5	4
15	45	31	19	4:	2	35	26
	_	_	-	-	-	_	
5	9	1	8		2	3	7
25	11	39	32	5	8	17	53
_	_		_	-	-	_	_
5	9	7	3	8	2	4	6
55	51	13	67	12	68	46	24
-							

ADDITION.

5	4	3	2	1
	6761	6461	4672	5672
9445	9529	9139	5298	6858
1663	1581	1978	5815	4259
8747	9699	5262	9695	9861
2362	1411	5845	1416	1241
7898	7779	7775	7774	7779
3216	3337	3335	3338	3337
7864	8943	3845	9873	6663
3248	2163	7265	1239	4445
5562	5557	5555	5551	5555
50005	56760	56460	54670	5 5670

6	7	8	9
	82685	68282	72784
39757	47375	77748	24196
713 54	63737	33365	86917
71356	77243	97745	77273
39751	33869	13365	33837
99759	72261	96975	43423
11352	38849	14136	67689
84758	79861	94874	19281
26352	31241	16 231	91825
55568	55559	55559	55555
500007	582680	568280	572780

9+9=18.

9		29		49	3	9			59		79 —
1	2	3	4	5	6	7	8	в	10	11	12
_		_	_	_	_	_		_		_	6
						2	2	9	9	9	2
		1	9	6	9	9	9	9	9	9	9
	2	2	9	2	9	9	9	2	2	2	9
2	9	9	2	9	9	2	7	9	9	9	9
9	9	9	9	9	1	9	3	9	9	9	1
9	7	5	9	8	3	9	6	8	7	8	9
9 2	3	5	2	2	7	2	4	. 2	3	2	1
9	5	6	9	7	3	9	6	4	3	2	9
9	5	4	9	3	7	9	4	6	7	8	1
-	40	41	58	46	48	60	50	58	58	58	56

1	2	3	4	5	6	7	8	9
_	-				-	-		
							292	
			69	99		272	999	879
72	69	76	29	99	267	929	959	429
29	29	22	99	25	922	999	752	694
99	92	99	91	95	999	492	379	596
96	99	99	29	95	299	629	239	527
74	79	82	91	65	952	499	922	993
36	37	29	97	45	959	692	989	194
64	63	69	63	65	669	558	549	566
								1070
470	468	476	568	588	5067	UJ70	6080	4878

8+8=16.

8	8	8	8	8	8	8	8
8	28	48	18	58	38	68	88
			_ *	_	-	-	

1	2	3	4	5	6	7	8	9	10	11	12
-	_		_		_		_	-		_	
	4								8	8	8
4	8		8			9			9	8	8
8	8	7	8	8	8	1	4	8	9	2	4
8	7	4	7	9	9	4	8	9	4	9	8
4	3	8	3	9	9	8	8	9	8	9	9
8	8	8	7	8	4	8	8	4	8	9	9
8	2	2	3	2	8	4	2	6	4	1	2
B	3	9	7	5	9	8	8	4	8	7	9
2	7	9	3	5	9	8	2	6	8	3	9
		0	U		-0	0	-	U	0	U	0
30	50	47	40	40	KO	50	40	40	00	E0	00
90	50	47	46	46	56	50	40	46	66	56	66

1	2	3	4	5	6	7	8	9	10	11
-			_		_	_	_	_		
58										
48							88			
84	24	74	74	43	52	42	88	578	244	547
88	48	28	28	84	29	89	24	428	488	982
78	89	98	98	88	99	99	98	894	888	189
	O	90	90	00	33	99	200	074	000	199
37	89	98	99	28	98	99	98	398	844	249
63	72	62	51	92	52	51	94	968	488	984
48	39	47	59	99	57	57	18	147	689	988
52	59	63	61	69	63	63	58	663	559	568
	-									-
556	420	470	470	503	450	500	568	4576	4200	4507
UUU	3 to U	74 U	34 U	UUU	30//	UUU	UUU	TUIU	34 W	7867777

7+7=14.

77	7	7	7	7	7	7
	47	27	17	57	37	67

1	2	3	4	5	6	7	8	9	10	11	12
_	-	-	_	_	_	6	_	_		_	6
						0	_	_	3	_	0
			5	7		7	2	6	8	7	7
5	6	7	6	7	7	7	4	7	8	7	7
6	7	77	7	À	7	4	8	7	6	6	2
	-				å	8	9	5	7	7	9
7	7	2	7	8	6		-	_			
7	8	9	9	8	7	9	9	5	7	7	9
6	2	9	1	2	7	9	6	6	2	2	4
7	8	7	9	9	7	1	7	7	9	9	8
			4			0	ly	7	9	9	8
7	2	3	1	9	3	9	1	- 4	9	v	0
			_	_		_	-		_	_	_
45	40	44	45	54	44	60	52	50	60	54	60

1	2	3	4	5	6	7	8	9
				87	763	725	427	727
97	97	65	77	87	776	765	867	247
60	67	74	77	64	277	472	874	986
76	76	78	94	78	927	878	278	987
77	77	68	16	78	982	869	448	247
87	77	72	86	92	984	971	782	986
28	37	79	27	19	127	179	789	987
72	63	69	67	59	567	561	559	557
497	494	505	444	564	5403	5420	5624	5724

6+6=**12**.

6	6	6	6	. 6	6	6
6	26	46	16	· 6 36	56	76
	_			_	_	_

1	2	3	4	5	6	7	8	9	10	11	12
		_		-	_						. —
8	6						8	6	8	8	
6	8	6	7	6	6	6	6	6	6	6	4
6	0	8	8	6	6	6	6	8	6	6	8
8	6	8	6	8	7	2	6	6	2	8	8
6	6	6	8	6	3	9	7	6	9	6	8
6	4	7	8	6	6	9	7	8	9	6	6
8	6	7	2	8	4	2	6	6	6	8	8
6	7	6	9	6	8	9	7	8	7	6	9
6	3	4	9	6	2	9	7	8	7	6	9
	_	_	_				_	_		_	_
60	46	52	57	52	42	52	60	62	60	60	60

1	2	3	4	5	6	7	8
56	58		786		785	685	
86	86	68	866	988	868	765	678
68	66	66	688	986	666	768	679
66	66	26	686	886	888	486	869
76	74	98	948	668	964	868	672
36	36	96	169	666	967	869	679
64	64	66	559	666	567	559	669
452	450	420	4702	4860	5705	5000	4246

1	2	3	4	5	6
					26080
47667	68626	88887	57897	58662	67266
87678	86698	68698	27698	26629	87066
82876	46698	62696	84886	46849	88828
99658	79786	99878	98966	75672	96692
19659	71727	19239	18964	75679	16695
66669	66667	66669	65676	66769	67575
404207	420202	406067	354087	350260	440202

4+4=8.

1	2	3	4	5	6	7	8	9	10	11	12	
	_	_		_	8	_	4	_	4	_	_	
8	9	4	1	4	8		4	4	4	6	6	
8	2	4	2	8	2	4	8	4	8	6	2	
8 2	4	8	4	6	4	4	6	2	6	2	4	
4	4	6	7	8	4	8	6	9	8	4	4	
	2	6	7	8 2	2	6	2	9	8	4	2	
2	4	8	6	2	4	8	4	8	4	2	4	
9	7	6	7	9	7	9	7	6	8	9	7	
4 2 9 9	7	6	7	9	7	9	7	6	8	9	7	
_		_		-	-						_	
46	39	48	41	58	46	48	48	48	58	42	36	

1	2	3	4	5	6	7	8	9
		_			054	404	080	F060
24	84	29	66		954	484	658	5369
47	48	49	86	27	224	464	826	2629
77	78	42	48	92	442	268	948	4842
72	72	84	46	94	449	426	949	4844
89	29	64	26	24	829	446	229	2224
69	49	82	48	44	642	978	442	4942
66	47	84	46	48	649	176	449	4944
64	53	74	56	78	769	566	749	4774
		-						
508	460	508	422	407	4958	3808	5250	35068

3+3=6.

Oral	Exercises.

3 -	4	3 13 —	3 23 —		3 63 —	13		3 53 —		33
1	2	3	4	5	6	.7	8	9	10	11
_	_	_	_		_	-	_	-	_	-
						3	3	3	4	3
3	8		3	3	3	3 3 2	3	3 4 3 3 4 4	3	4
	8	4	3	3 3 8	3	2	4	4	3	3
4	8 4 3 3	3	4	8	8	4	3	3	8	3
3	3	3 3 2	3 3	6	6	4	3	3	6	8
3	3	2	3	6	6	2	4	2	6	6
4	2	4	4	6 6 8	8	4	8		8	8
3	9	7	8	6	6	7	9	7	6	9
33433	9	7	8	6	6	7	9	7	8	9
26	46	30	36	46	46	36	46	40	50	56

1	2	3	4	5	6	7
			à verifications. T			5423
473	36	646	37	437	3988	2443
343	33	338	37	334	3966	4842
388	43	339	24	323	2883	4684
246	88	249	48	443	4643	4364
448	96	438	44	872	7342	3332
429	93	436	27	879	7329	3234
749	73	756	47	779	6649	7484
3076	462	3202	264	4067	36800	35806

$$2+2=4$$
, $1+1=2$.

Oral Exercises.

2 2 —		2	2 12 —	2 32 —	52 -	62 —		1	1 11 —	81 —
1	2	3	4	5	6	7	8	9	10	11
_	_	_			_	_	_	4		
	5	2	6	1	2	3	ŏ	4		2
2	2	6	3	1	2	3	8	3	8	6
2	4	3	3	2	2	2	6	3	4	8
2	2	3	2	4	4	4	3	2	2	4
4	2	2	4	2	7	2	3	4	6	4
2 2 4 4	8	4	4	2	7	6	2	4	6	6
2	6	2	2	4	6	8	4	4	8	2
4	3	1	9	8	7	9	7	8	6	1
4	3	ī	9	8	7	9	7	8	6	ī
24	35	24	42	32	4.4	46	45	40	46	34

ADDITION.

1	2	3	4	5	6	7	8
_	_				_	_	_
					12		-
-			4.4	26	12	-00	31
63	00	FO	44	43	32	62	31 22
83	26 43	58 24	32 36	73 72	44 22	36 33	44
42 24	23	44	26	84	62	23	22
12	62	72	48	62	36	42	12
11	64	79	46	61	32	49	17
91	84	79	76	81	82	79	83
326	302	356	308	502	324	324	262
9	10		15	12	13	3	14
			743	642	63	31	742
658	466		783	826	83	36	224
829	788		282	463		28	-462
449	748		424	238		14	236
272	822		792	132		32	138
274	624		791	129		26	129
774	374		591	849	87	76	849
3256	8822		4406	3284	420	84	2780
15		16		17	18		19
		2286	8	848	8728		
7262		1948	4	424	4214		2329
2632		2924	2	262	2912		6349
9834		6262		166	2986		8272
9422		8481		126	9268		4479
4246		8241		892	1434		2269
8148		9628		194	5232		1672
8129		1861		127	5226		1679
7749		5431	3	647	6746		7559
57422	5	0062	46	686	46746		34608

New Combinations.

NINES.

1	31		21 	3 7 1 12		32	
1	2 3	4 5	6	7 8	9 1	0 11	12 13
1 9 1 9 8 8 1	6	8 1 8 6 9 6 8 2 1 4 8 2 2 1 7 1	8 1 8 6 8 4 7	1 8 8 1 8 6 6 2 3 2 3 8 2 6 9 3 9 3	4 8 4 7 8	7 9 9 2 2 9 4 8 4 1 1 8 B 1	1 8 4 1 2 8 6 6 6 8 4 6 7 6 7
46 48	38	39 46	49 4	9 39	49 44	38	50 46
1	2	3	4	5	6	7	8
18 19 48	84 17	87 93 82	11 14 42	28- 14 14	58 44	29 41	27 97
21 62	17 82 14	18 88 6 2	76 76 88	41 79 74	14 88 16	89 49 42	82 19
89	47 37	86 44	66 36	28 48	43	29 49	13 18 48
306	298	560	409	326	296	328	304

2+7, 7+2.
Oral Exercises.

	7 22 —	42 —	3	2 37 —	7 12 —		7 52	67 —		7 32 —	2 17
1	2	3	4	5	6	7	8	9	10	11	12
1 1 1 9 7 2 1 7 2 —	7		2 7 1 7 2 4 8 9 9	8 9 7 6 6 8 6 6 — Table 1	8 4 7 7 2 4 7 7 —	7 2 1 7 2 2 9 9	7 2 1 7 2 8 2 5 5	8 9 7 6 8 4 2 6 6 6	8 9 7 6 6 2 4 9 1 1	9 7 2 7 3 7 3 6 4	7 2 1 1 9 8 1 9 1
7 = =	10	407 4	9	56	46	39	39	56	48	48	39
<u>i</u> 77	2	95	2	4		5	6 		7	8 77	9
62 81	71 27 96	27 72 19		94 88 19		59 47 82	97 71 68	6	31 39 17	22 41 87	47 84
91 29 77 82	96 48 86	21 74 47		17 76 28	2	12 24 37	61 82 69	4	8	46 48 29	98 74 22 46
499	46	389		58 380	35	8		42	4 -	49	36

4+5, 5+4. Oral Exercises.

William Gra	5	5 14 —	35 —	2	5 4 -	45	5 54 —	5 34 —	
1	2	3	4	5	6	7	8	9	10
9	9	4 5 2	9	8 9	1 4 5	9	9	7 1	9
1 1	5 2 9	9 7 2	5	5 7	7	4 5 4	9 7	5 4 1	9 5 7
9	7 6	4 8	5 5	8	6 8 9	8 4 7	6 8 4	4 5 5	7 4 8
4 38	6 48	8 49	5 	6 56	9 50	$\frac{7}{48}$	48	37	8 - 58

1	2	3	4	5	6	7	8	9
		82			99		44	89
14	94		54		44	69	55	97
95		97	45	98	55	75	- 11	42
	45	41	41	79	11	34	47	51
74	51	57	84	65	54	11	56	18
28	14	12	45	64	45	58	86	51
89	45	51	26	81	88	21		
65	55	48	67	67			68	21
34	85	81	37		61	62	86	68
				32	31	38	46	31
399	389	469	399	486	488	368	499	468

3+6, 6+3.

	6	33		46	1:		3 26 —	!	6 53 —
1	2	3	4	5	6	7	' 8	3	D 10
•	0	6		5	8		3 8	5	3 8 9 3
8 9 6	9 3 8	3 1 7	3 3 2	3	9		5 7	7	4 8 5 9
6 3 2	9	2		3 8 9 3	5 1 3	. 6	3	3	1 5 3 7 8 7 9 2
9 6 3	9 5 4	5 7	9 3 3	8	8	8	3		8 9
46	48	7 39	29	45	56	49	_	_	1 9
						20			- 09
1	2	3	4	5	6	7	8	9	10
17	37	49 51	88 99	99 61	56	27		•	10
:	11	19	47	39	41	91	17	31	19 92
3	73 28	73 68	56	23	17	68	66	88	99
84	19	64	16 78	98 34	62 32	31	38	41	86
98	36	27	26	87	19	21	14	22	13
62	33	47	56	47	69	47 22	37 37	69 39	16 74
409	399	398	466	488	296	307	209	290	399

89660	479580	408663	360686
	73658	44447	64556
44457	56248	22827	28296
22827	48254	75374	83788
52376	93496	24128	11136
47117	86826	99293	1779
99347	31327	88789	2728
88655	15179	33938	4593
97882 36999	74592	19893	8189
5	6	7	8
46869	48689	58097	4190
40000		0040	767
5459	6548	5345	342
2829	7988	8842 8625	762
7678	7134	3648	614
1716	5192	1683	413
4957	5679 1327	7837	58
5849	4928	7716	400
9398	9893	5254	139
8983		9147	16
-	-		4
1	2	3	

1+7,	2+6,	6+2,	3+5,	5+3.
------	------	------	------	------

7	6	2	7	6	5	3	5	2
11	22	56	31	42	13	45	33	76
-			-	-	-	-		

					1024.			93
1	2	3	4	5	6	7 8	9	10
7 2 2 7 1	6 8 7 1	4 4 2 9	6 2 2 6 2	5 4 2 6 2	3 2 4	3 7 5 1 2 2 4 6 4 6	1 2 5	2 2 8 3
2	4	2	2 6	2	2	4 8		5 2
7	8	9	6	7	5	8 9		5
1	8	9	2	1	3	8 9	2	3
29	42	48	28 2	29 3	38 3	8 48	36	38
11	12	13	14	15	16	17	18	19
-	_	- Control of Control o	_	_	_		_	18
				27	83			57
18	89	90	00	81	25	92	82	21
58	25	29 87	29 95	32	62	18	78	72
32	64	52	64	55 23	27	27	15	15
22	21	31	31	42	71	81	23	23
47	46	25	17	42	12 29	52	78	42
21	23	64	72	86	59	37 81	16	49
						01	76	79
198	268	288	308	388	368	388	368	358,
20	_	21	22		23	24		25
			596	3			•	285
969		225	392	3	189	216		873
185		893	225		156	893		712
954		652	743		933	552		122
331 827		249	142		121	344		148
562		216 573	227		947	117		349
CUL.	,		561		722	777		379
3828	28	808	28 86	3	068	2899	-	2868

26	27	28		
1100	-	20	29	30
1127	8228	6922	-	
2682	8967	2175	7522	6268
8255	6521		1385	8985
6233	2412	4613	5173	6743
2426	6153	4222	4612	2242
9264	3725	2194	1319	
		6674	7869	2114
29987	36006	26800		5674
			27880	32026
1	Revie	w of Eigh	ts.	
A	2		3	
	-			4
2862	9893	8	3583	7010
8788		3	3235	7213
2135	7395		752	1845
8253	2522		124	7522
4722	1246		227	2364
2164	5376	9	787	1187
6267	4578		188	5797
3437	1229		226	4296
0201	6449		146	1127
38628	00000	04	140	6547
	38688	465	68	37898
5	6		7	01086
81882	-		7	8
35578				
53317	29583	926	253	88137
12121	81398	266		32951
72522	54254	612		58422
28485	37242			23526
	17816	255		25186
17193	42376	943		82136
51794	54522	712	76	74752
42228	24229	214	18	14124
74548	47449	1949 6674		21297
		0014	10	46457
469668	388869	46988	_	20201

1+6, 6+1, 2+5, 5+2.

Oral Exercises.

_	6 11 —	31 —		5	5 22 —	15 —		5 42 —	5	2
2	6	1	7	Q		9	 			7
	1	1 2 1 8 5 3 2	2	8	5 2	8 4	7	3	2 5	2
1	1	ī	5	6	6		5 6	2	0	* 5
6 1 3 6 1 3 6	2	8	3	6 7 2 5 3 5	7	7 5	6	5 3 5 2 6	1 3 8 4	3
6	6	5	3 5 2 2	2	5	8.	9	5	9	1
1	1	3	2	5	6	8	2 4	2	4	8
3	4	2	2	3	8	6 8 4	2	6	2	2
6	8	4	9	5	9	7	1	7	6	4
1	8	4	9	2	9	7	$\bar{1}$	7	6	4
29	37	30	44	39	57	56	34	40	37	44
74	Į.			84		28		75		73
27		54		37		53		27		27
52		67		51		25		56		55
35		75		18		22		11		12
26		26		74		86		74		42
57		58		22		27		28	,	54
15		29		16		82		24		17
62		49		66		55		54		67
348		358		368		378		349	-	347

3+4, 4+3, 9+8, 8+9.

3	2	8	4	3	9	8	4
14	25	19	33	54	28	49	13
				_		_	-

6 3 8 2 9 9 9	3 1 2 4 3 3 8 9 - 33	8 9 3 6 1 3 5 2 37	9 2 6 2 5 3 2 7 1	7 4 3 6 7 8 5 4 4	3 4 3 8 7 2 1 6 3 - 37	3 3 9 4 7 5 2 6 4	5 2 3 9 4 7 8 9 —	8 9 3 5 6 8 9 9 — 57	1 8 5 3 2 4 7 7 -	8 9 3 9 8 3 9 9 9 67
---------------------------------	---	--	---	---	--	---	---	---	---	---

863	462	543	349	472	747
235	788	439	876	326	375
482	545	368	843	462	792
393	225	812	133	321	583
316	366	939	134	325	239
471	431	839	753	564	299
2760		3940	3088	2470	449

Review of Sevens.

6487 1728 3569 4212 3339	2 2949 9635 6214 3261 1138	3 1382 7869 2129 1422 2724	9158 9736 5283 4161
8539 27874	7591	4534	2337 6382
21014	30778	20060	37057

5	6	7	8
	-		_
	22427		86168
07700	82125	38597	54389
97738	2998 3	79322	38853
33579	93459	92385	
57253	58532	12353	25233
28328	39128	88738	33327
62632	15762		53722
68199	_	26225	15985
82289	74268	52522	72966
44459	21184	52286	28927
21109	56544	65446	56557
494477	470985	707074	
	21 0900	507874	466127

1+5, 2+4, 4+2, 9+7, 7+9.

42		11	3	2	7 19 —	-	9 17 —	9		2 34 —
6 5 1 4 3 6 4 	5 1 4 9 9 9	6 4 6 2 4 4 4 2 2	4 2 6 7 9 4 7 9	7 9 3 8 9 3 4 3	3 4 3 1 9 9 4 7 6 1	8 5 3 2 7 1 2 9	4 6 9 7 4 9 9	4 2 4 9 9 9 6 4	853228288	4 4 6 9 7 4 9
===	46	32	48	46	47	46	66	56	46	50

00			ARITHME	TIC.		
	47	42				
17	94	22				
25	93	47	72 93	29	69	-
34	53	79	53	9ŏ	36	-
71	31	92	34	53	12	72
98	23	15	48	42	22	98
61	66	63	48	16 73	34 24	18
306	407	360	348	307	197	358
989 922 686 939		_	297	6	14	64 <u>4</u> 466
243			685	96	678	
171	94		752	74	398	
397	91		946	46	9	344
282	13		227	78	9	288
-	83	4	559	64	9	448
2768	469	0	3466	426	_ 6	3266
				430		3266
5486		74	8972	6352		-
3968	98	28	6293	3823		7472
8728 8518		2323	9634		3726	
9414	93		1244	8254		4892
2734	32		2645	6224		2194
4732	460	39	õ391	2692		1327 6459
35062	3929	0	26868	36979	_	6070

Review of Sixes.

2	3	4
76425	92363	37754
99683	74598	38819
47922	49272	49249
48982	48943	43349
66348	22447	62763
43574 23277	43569	45848
56477	87179	22224
002//	44449	64454
462688	460000	
102000	462820	364460
6	7	

65893	6	7	8
43997	73767	46776 64984	48289
62524 92446	95262	52492	66727 27434
98128	64125 78496	13442 43672	49574
4286 2 78185	82537	57498	48186 56194
44645	28 2 89 46448	17 225 66553	17926
528680		00003	46546
220000	468924	362642	360876

1+4, 3+2, 2+3, 8+7, 7+8, 9+6, 6+9.

11 —	2 23	3 42 —	18	8 47	19	9 36
31	9 46 —	58 —	8 27 —	2 33	3 72	9 26

60			A	RITHA	ETIC			
1 4 5 4 1 5 4 1 7 3	2 3 5 4 1 5 3 2 2 8	8 - 4 1 5 3 2 2 4 7	9 6 5 6 4 5 6 9	5 9 6 4 7 9 4 3 3 6 4	6 9 6 5 7 8 5 7 8	7 8 5 7	5 78 5 2 3 5 7	
35	35	35	55	55	57	ōñ	8 50	47
10 11 73 72 25 14 81 276	27 93 34 43 26 81 304	12 77 96 22 43 45 82 364	13 95 77 58 95 63 72 460		14 22 69 76 95 17 18	15 79 93 53 74 85 81	16 56 88 78 54 94 32	17 15 37 28 14 37 29
18	19		20	2	1	87 dec 100		23
475 247 678 695 427 348	675 347 238 415 429 836	2	964 774 775 229 17 869	25 39 66 75 377 248	7 8 5	542 359 176 285 219		456 997 979 414 424
2870	2940	35	28	2700		266 1847		732 002

Review of Fives.

	200	OM N LIAS	7.	
1	2	.;	4	5
2352 6760 7896 1565 2767 34-8	5227 7134 8 34 1 31 6 67 9283	19 5 66 7 95 8 5756 7876	5117 68 7 90 2259	6882 9555 8399 9249 8269 6879
24807	4087	36%		3449
6			Amydda	9
35585 99354 862 -1 45527 7744 2 98141 41128 16661	74766 81545 35669 83948 325 **	87- 28- 65-	135 .73	66543 97365 79272 23522 28338 82272 63288 27824 54444
5000r.9	4insi	5906	47	522868

4.°. 7 , 1+3, 3+1, 9+5, 5+9, 8+6, 6+8.

21)	5	8 46	6 18	8 26	3 31
7 17	2 42	25	8 36	6	5	7
Statement of the last of the l	-			48	49	47

						ETIC.				
1	2	3	4	5	6	7	8	9	10) 11
3 1 23 4 7 7 7 2 4 3 1	3 1 5 9 9 9 9 9	5 3 1 2 2 8 4 7 7 39	8 4 2 2 2 4 3 1 1 9	6 8 6 2 2 2 4 2 2 8 -4	5 7 4 9 5 6 9 5 - 50	4 6 4 6 8 8 4 9 5 48	1 3 1 9 5 2 4 5 9	9 6 5 1 9 5 2 4 5 9	68 66 22 24 77	6 6 4 8 8 4 2 6 6
12 25	_	13	14		15	10	==	17	50	64
33 · 42 12 24	1 9 5	.8 6 2	56 78 42	;	75 59 76	27 37 12	•	93 57		49
23 31	88	9	94 58 76		8 5 29 .6	94 59 75		28 45 86 39	2	39 79 19 19
190	398	}	404	37	0	304	- 1	348	38	-
19		20		21			22		23	
196 158 412		171 982		791			145		667	;
954 557		662 551 955		826 725 987		7	867 148 '65		847 692 914	
767	-	329 850		838		77	86		556 768	
			-	4786		35	80		4414	

Review of Fours.

34844	20444	36564	38744	35060	38448
		8536	7537	7646	2539
3735	3547		7287	4129	9189
8789	2677	5328	-	5485	4429
1744	2444	9224	9844		2599
5422	1222	4582	6622	7578	
5658	4589	2365	3488	4857	6299
9496	5965	6549	3966	5365	4994 8399
	-		4	5	6
				-	

344948	545885	478544	377044
43539	32651	44258	
26589	68724	27956	19672
28529	84785	95554	36279
27569	32472	37312	42369
47549	71653	58265	88529
	94495	72589	23829
84589	94656	87944	67749
86584	66449	24666	32559
7	8	9	10

1+2, 8+5, 5+8, 4+9, 9+4, 6+7, 7+6.
Oral Exercises.

1	2	3	4	5	6	7	8	9	10	11	12
3 2 1 7 1 6 9 9	2 2 1 7 7 1 9 6 7	4 5 2 3 5 8 7 5 8	1 7 3 5 8 7 5 8 8	2 8 2 7 6 7 7 3	2 4 3 9 4 7 9 4 3	8 7 5 8 7 8 5 8	7 3 7 6 7 6 1	9 9 5 2 4 6 8	2 1 7 5 8 7 5 5	2 1 7 5 8 4 3 5	7 3 2 1 7 2 1 7 2
56	49	47	54	6 55	7 52	2 58	9 · 53	53	8 53	8 43	33

2 21 	51 —	2 11 —	8 15 —	5 38	7 46 —	6 7 —	19 —	9 34 —	4 29 —	8 45 —
_										==

1	2	3	4	5	6	7	8
_		-		_	_		_
75	23	25	53	88	97	43	59 89
68	95	67	25	25	56	87	79
44	18	36	88	43	44	16	99
33	97	47	57	99	13	25	49
39	47	38	44	44	34	27	89
74	76	45	39	34	39	38	69
333	356	258	306	333	283	236	533

٠		A	65		
_1	2	3	4	5	6
					589
453	432	227	582	172	259
845	985	562	227	265	759
178	358	541	966	578	379
117	417	757	447	897	949
2 29	937	929	378	744	429
534	236	234	435	979	669
2356	3365	3250	3035	3635	4033
7	8		9	10	11
					7000
5393	857	5	5855	5293	7238 6945
5742	255	_	3559	5895	7698
5911	755	•	4584	2248	4876
5927	356	-	7977	4827	5548
5429	737	7	9592	7564	5799
5234	367	3	7221	3739	5459
33636	33300	5	38788	29566	43563

	Review	of Threes.	
1	2	3	4
77477	46578	37375	37843
33333 66355	94532 77596	78737 3536 3	83297
40558 64464	93544	47476	24843 99237
78253	19577 34543	98977 82 866	47886 84557
29258 46645	7532	25247	29224
	594 31	54597	56449
436833	433333	460638	463336

1+1, 6+6, 3+9, 9+3, 4+8, 8+4, 5+7, 7+5. Oral Exercises.

_					-01 616	CS.			
6 26 —	9 13 —	3 49 —	8 24 —	18	8 54	7 15	7 25	5 37	5 57
							-	-	-
			-						

					DDITI	ON.				67
1 1 6 2 6 6 8 6 6	1 8 6 6 8 6 8	3 7 9 3 8 9 3 6 4	3 7 3 7 9 3 8 3 9	1932482484 -	9 9 2 5 7 8 7		5 7 7	4 8 8 8 8 2 5 7 8 7 5	8 4 5 1 3 9 8 6	3 9 8 8 4 8 4 4 7 7
42	52	52	52	45	52	60	59	62	50	62
92 57 45 28 67 35		71 89 83 18 19	91 39 89 32 37 35		52 99 33 98 46 76		52 98 34 98 47 75	34 99 83 18 26 36		03 89 38 38 38 32 37 25
324	27	3	323		404	4	04	296	-	322
111 777 885 928 338 764		594 942 384 892 537 685	8	36	8 5 6 9	78 55 78 47 29	8	255 277 988 374 357 69	8 8 8 7	759 389 349 389 299
3803	40	34	460	4	45	76	44	20	39	_
5741 9887 3265 8625 6766 3686		76 87 54 29	712 387 745 88 86 36		9171 8779 8969 4912 2437 4836		3478 9257 7748 9598 4296 8446		79-44 229- 735 539-	45 78 96 35
37920		378	34	36	9093		42820	•	3570	0

Review of Twos.

	Kench	of Twos.	
54533	28569		
58577		43367	3777
58853	82549	87944	7858
84777	23529	83834	
26548	37599	87472	8262
38842	97639	48486	2327
72646	83989	81228	7375
27248	258 39	23639	5758
21250	62529	52259	8323
422022	442242		9245
	******	508229	529292
54958	858	672	
58852	882		MAGGE
88887	888	922	759858
29225	832	239	685988
63776	815	998	297938
	8559	992	954938
48537	8352	248	957988
23228	8673	199	697948
55459	4158	170	666928
400000	=100	18	257468
422922	72526	94	5279054
279442			02/ 5004
873443	2489	72	
238848	9549	18	046400
782222	3789		946488
355957	66998		246789
377679	82399		346789
778556	97898		346789
458895	95398		346789
	28994		346789
482797	83882		346789
866528	32365	4	346789
8404000			646789
5494367	646227	4	3920800

2+9, 9+2, 4+7, 7+4, 3+8, 8+3, 5+6, 6+5.

Anna 1	B74 A	
	Exercises.	
	LACILIDES.	

12	3	7 14 2 	2 19 1 		4 7 5	7 8 4 13	28	15	36	5 3 6 48
9 32 —		2 49	7 24 —	4 17 —	8 23 —	4:	8	5 16	5 56 —	9
2 9 9 9 9 9 9 9	7 2 9 9 9 2 2 9 9 —	2 8 9 2 6 4 6 7	479288874	5 4 4 7 7 7 7	5 3 8 9 8 9 8 3 8	5 6 8 1 6 5 8 1 8	2 8 2 8 2 9 8 2 3 7	1 5 6 9 8 2 3 9	999999999999999999999999999999999999999	74937284656
51	58	51	51	50	56	51	51	52	81	61
99 12 39 86 75 36 64		96 19 89 38 97 84	7: 44 9: 7: 48 63	8 3 9	29 18 82 38 96 85		99 21 98 93 29 26	99 88 72 48 42 39		22 29 22 69 79 24 28 58

•0			ARITHMI	Tic.			
			952				
010	698	978	698	671	948	36	
919	827	323	537	547	925	49	
162	984	482	974	925	196	99(
859	939	277	629	838	999	594	
397	439	649	589	338	343	249	
784	732	372	672	834	778	422	
3121	4619	3081	5051	4153	4189	3118	
8979		5722	-				
1999		4898	7773	998	_	7557	
8354		=090 3982	9929		2198		
5869		3328	8982		8846		
6629			3928		2368		
6342	2432 4339 29701		2437		3287		
			4834	347	5	4839	
38172			37883	37883 30108		37537	
		Revi	ew of 0	nes.			
9646		94767				64333	
2774		96373	7EOOR			26667	
6339		94932	75887			88448	
4946		99138	38289			32492	
6266		31272	97529			72725	
5888		88858	12589			28999	
2336		25283		28839		89299	
4556		64548		83289 74769		22 829 4564 9	
12751		595171	-	111191	_	71441	

573741	494180	511371
F70744	22000	67458
54229	42658	25294
22189	54867	85892
83989	54242	75986
28289	36188	33865
92889	64929	48699
68289	46797	62677
52889	33338	47538
98289	77782	63962
72689	83379	
411111	451111	611811
-	54548	66668
45457	23233	65288
32327	78858	55738
38377	32252	95288
72727	978 78	75888
28237	82232	47222
82877	84722	93899
22287	47388	22933
88892	40000	98887
		• •

BUSY WORK.

All Combinations.

1. (a) 43+7 16+6 29+9 47+7	(b) 11+9 45+5 34+4 42+2	(c) 34+5 47+2 15+4 31+8	(d) 45+3 36+2 23+6 41+7	(e) 49+5 11+6 19+7
58+8 13+3	77+7 26+6	$\frac{43+6}{12+7}$	18+9 23+4	47+9 32+4

			•		
2. (a) 28+7 16+9 32+3 41+4 19+6 57+8	(b) 17+7 28+6 36+8 15+9 49+5 41+3	(o) 14+9 31+2 15+8 48+5 17+6 56+7	(d) 18+4 26+6 47+5 23+9 19+3 44+8		(e) 12+9 33+8 46+5 29+2 17+4 54+7
3. 4+	-6+3+7+8	+2+1+9+1	i -	we.	
9+	9+2+9+9-	+8+6+2+4	_	45	
1+	1+2+4+2	F6 + 6 + 0 + 4		58	
4+	5-1-2-2	0+0+2+4	=	28	
20.1	5+1+2+7+	-8+8+3+9	-	48	
20+	3+5+8+2+	-2+1+7+2	and .	50	
8+	8+7+3+3+	8+9+3+2	+5=	57	
41+	6+3+7+9+	4+2+4+4		80	
17+	7+6+2+2+	4+6+6+9	1 K_		
16+7	7+2+8+7+	R+K:0:0		64	
19+5	3+8+3+9+	0-0-2-8-	+7+6+7=	=83	
16+6	10-5-9-	0+7+5+2-	+8=	72	
0.0	+9+9+3+	8+5+7+2+	-8=	72	
3+9	+4+7+9+8	8+2+7+3=		51	
3+8+	8+2+7+3-	F4+6+9+6	+6-	61	
				AT.	

EXERCISES INVOLVING ALL THE COMBINA-TIONS.

- 1. Add together: Ten, fourteen, three hundred and six, one thousand and five, seventeen thousand two hundred and forty one. Ans. 18576. Write answer in
- 2. Add together: Nineteen, one hundred and three, forty thousand and six, twenty-seven. Ans. 40155. Write answer in words.

3. Add together: 'Three, forty-seven, eight hundred and two, twelve thousand four hundred. Ans. 13252. Write answer in words.

4. Find the sum of: (a) 70, 304, 8, 19, 475, 2006, 37312. (b) 8, 10, 203, 47, 1005, 6243, 27800. (c) 4002, 105, 9, 10807, 243625, 100. (d) 100, 3769, 4, 81, 100243, 500069. (e) 27800, 96, 144, 3072, 80006, 50. (f) 425030, 5002, 87, 1693, 412, 873.	Ans. 40194 35316 258648 604266 111168 433097
---	--

Exercises involving All Combinations.

5. The addends are :

432, 207, 869, 100, 423. Find the sum

6. The addends are:

lends are: Ans. 2031. 789, 653, 425, 838, 724, 163.

Find the sum.

7. Find the sum of :

Ans. 3592.

(a) 723+845+678+786+809+923+239.

Ans. 5003.

(b) 1004 + 2506 + 3008 + 4572 + 6024 + 9009.

Ans. 26123.

(c) 20006 + 10789 + 35460 + 40802 + 59996.

Ans. 167053.

(d) 97843+87142+14287+42817+35467.

Ans. 277556.

SUBTRACTION.

INTRODUCTION.

When teaching the tables in addition, the converse or the tables in subtraction have been taught incidentally. The method of treatment has been according to tables in the following progressive order: First, the table involving combinations of ten; then nine; then the table ending in eight; in seven; in siz; in five; in four; in three; in two; in one.

In the table ending in eight the pupil is introduced into the intricacies of borrowing. Allow pupils to indicate the operation of borrowing and changing, until they have become proficient enough to do without. This percept is necessary to beginners. Indeed, with some pupils, the use of the slats helps to make the bundle of ien idea much clearer.

At end of table ending in one will be found review exercises on all the combinations.

Table Ending in "10,"

10 5	10 6	10	10 7	10	10	10 2	10	10
_		_						_

ORAL EXERCISE.

You have a ten-cent piece and you buy one article, say a top, for 5 cents; what change should you receive?

Money.	1 Article,	Change.
10-cent piece	6 cents	- 4 conta
TO-COULT DISCO		- 9
10-cente biece	8 centa4 centa.	- 1
•	(PA)	

	foney.				rtioles.			Chan	ae.
10-cen	t piec		osting	5 ces	its an	d 1 oc	nt	-4 00	nts.
TO-ORT	is bres	30 0 0	Detime	A ces	nte an	d 3 oo	radia	- 1	
10-cen	t Dies	e a	peting	5 001	ats an	d 5 ce	nts	- !	
10-cen	t piec		etipe	7 001	its and	d 3 00	nts	- !	•
10-cen	t piec	B oc	eting	4 cor	ta and	1 2 00	nte		•
TO COU	it piec	oc	eting	2 cer	the amo	1 1 co	nt.	- 1	•
10-00D	5 piec		eting	3 cer	TA ADO	1 5 ca	nêm i	- 1	
10-cen	t piec	00	eting	5 ooz	its and	1 4 00	nts	- 1	•
		T	able	Endi	ng in	" 9.	•		
			On	AL E	KERCH	RE.			
9	9	9	9	9	9	9	9	9	9
8	1	2	0	7	2	6	3	5	4
_	_	-	_	-	-	-	-	-	•
			WRIT	TEN :	Exam	TRE.			
9-8	- ;	9	- 1 -	8:	9-1	9-	. ,	-0-	
									•
		(1) ,999,9				£,,	(8) 199,9	00	
	181	,089,8	118			* .	Set 1	90	
	\$18	.910,1	81				1106		
			_			mile	m mm was	~	
9-7	= ;	9	-2-	3	9-	- î ;	9		2,
		(3)				1	(4)		
	9,9	99,99	9			90,9	99,99	9	
	3.2	172,37	7			29,0	78,31	7	
	2.7	27,72	2			70,9	21, 782	3	
				/100	•			100	

(5) 999,999,999 182,709,277 817,290,722

9-6	,	9-3-	;	9- =	3; 9~	=3.
	999, 996	9,999		996	(7) 9,99 9 ,999	
	363,633			609	,182,736	
	636,666	,833		390	,817,263	
			(8)			
			99,999			
		-	71,263			
		_1	28.736	.609		
9-5	- :	9-4=		9- =4		_
	,	0-4-		9 - = 4		= 5.
000	(9)		(10)		(11	
448	9,999,999 5,554, 45 5	99	99,999,	999	999,999	
-		- 04	19,036,	721	985,476	,305
554	445,544	4	50,963.	278	014,523	394
(12)	(13)	(14)	(15)	(16)	()	(18)
109	109	109	109	109	109	109
81	18	27	36	72	45	90
28	91	82	73	37	0.4	10
					64	19
(19)	(20)	(21)	(22)	(43)	(24)	(25)
109	109	109	109	109	109	109
82	19	73	. 42	58	64	71
27	90	36	67	51	45	38
(26)	(27)		(28)	(29)	
10	9,999	109,999	9 1	09,999	109,9	
	5,392	46,817		39,081	82,4	68
5	1,607	63,18	2	70,918	27,5	31

Table Ending in "8."

ORAL EXERCISE.

8	8	8	8	8	8	8	8	8	18
1	7	8	0	4	2	6	5	3	9

WRITTEN EXERCISE.

Bornowing.

(3) (4) (5) (6) (7) (8) (9	(10)	
90 90 90 90 90 90		
15 19 14 72 78 76 13		
75 71 76 18 12 14 77		
75 71 76 18 12 14 77	73	
	_	
(11) (12) (13)	(14)	
990 9,990 99,990 99	9,990	
	2,506	
417 8,382 67,501 10	7,484	
(15) (16) (17)	(18)	
1,090 1,090 1,090	1,090	
513 485 906	277	
577 605 184	813	

(19)	(20)
10,990	109,990
4,874	57,176
6,116	52,814

5-4=; 8-2=; 8-3=; 888,888,888,88	8 - 3. (32) 3,888,888 4,624,244 2,264,644 (23) 88,888,888
470,8	12,633,355
	76,255,533
24) 888,890 673,427 215,463	(25) 988,890 356,342 632,548 (26) 9,839,890 9,524,635 0,875,256
18-9= :	4.0
(27) 188 94 94 94 96,462 (30) 188,998,998,890 98,524,687,234	188,886,888 91,753,064 97,135,824 (31) 189,888,696,890
90,374,311,656	<i>52</i> ,172,038,432
7,722,000	97,716,860,458

CONSECUTIVE BORROWING.

			DOLEU1	VING.	
(32)	(33)	(34)	(35)	(36)	(37
990 195	990	990	990	990	990
100	202	399	467	693	598
795	698	591	523	297	38
(38)	(39)	(40)	(41)	(42)	(43)
190 96	190 95	190	190	190	190
		91	98	94	97
94	175	99	92	96	93
	4)	(4)	5)	(46)	_
2,9	998 199	99,		9,999,	900
-		49,1		5,999,	995
6,9		49,9	194	3,999,	995
010	7)	(48)	(49))
919,9 35 9,9	320	919,9	10	9,199,1	118
.20 8		739,9		* 599,	139
	_	179,9	64	5,599,6	379
	(0) (8)	(51)		(52)	
	39	9,008	9,	900,000,0	106
41		2,329		959,038,4	
	_	6 679	4,	940,961,5	79
10.0	(53)	•		(54)	
9.9	00,000,01 5 7, 2 09,34	.8 Q	19	0,000,000	
		-		1,982,537	
0,0	42,790,66	_	9	5,017,463	
	(66)			(56)	
1	,000,018 634,529		1,0	000,008	
-				157,939	
	365,489			542,069	

Table Ending in "7."

ORAL EXERCISE.

7	17	Japan .	-	_					
4			7	7	7	7	7	1"	17
	O	7	0	5	2	4	3	1 ¹²	- 0
		-	-	-				_	ø
								-	

WRITTEN EXERCISE.

$$7-1 = ; 7-1 = 1 ; 7-7 = ; 7-0 = .$$

$$(1)$$

$$777,777,777$$

$$610,776,611$$

$$167,001,166$$

$$(2)$$

$$777,777,777$$

$$116,610,761$$

$$661,167,016$$

$$7-5=$$
; $7-2=$; $7-1=2$; $7-$ = (4)
 $777,777,777$
 $525,222,555$
 $252,555,222$
 (4)
 $777,777,777,777$
 $616.167,700,525$
 $161,610,077,252$

48,899

(13) 1,777,788,887 952,438,899	(14) 1,778,887,777 824,989,073
825,349,988	963,898,704
(15) 81,780,888,187 35,934,594,789	(16) 1,789,800,618,000 824,589,249.327
45,846,293,398	965,210,768,673
Table Ending	
ORAL EXE	CIAE.
6 6 6 6 6 5 6 9 3 2	6 16 16 16 4 8 9 7
WRITTEN EX	ERCISE.
6-1=; $6-5=$; $66 =1$; $6 =1$	-6=; $6-0=$; $6=$; $6=$ 0.
666,666,666 510,066,555 156,600,111	,111
6-3=; $6-2=6- =4; 6-$	6-4= ;
(2) 666,666,666 423,442,233,243	(3) 666,666,666,666 432,516,006,132
243,224,433,423	234,150,660,534
(4) 166 83	(5) 166,666,666 84,235,601
88	82,431,065

(6) 76 38		7) 76 48	(8) 16,666 8,423	,676 ,518	(9) 777,776 188,888
38		28	8,243,	158	588,888
	16 –	9= ;	16-7		
(10) 166 94	(11) 76 39	_		(13) 7,776 7,979	(14) 1,777,776 897,798
72	37	4	9	9,797	879,978
1,778	5) 8,776 9,798 8,978	76,716, 2 7,328,	16) 987,716 544,749 442.967	4,98	(17) 77,767,996 33,793,998 93,973,998
17, 8,	(18) ,397,017,6 , 42 3,8 5 8,6	006 139		(19) 7,879,01 3,989,26	0,000
9,	,473,158,	567	78	3,889.7	65,633

Table Ending in "5."

ORAL EXERCISE.

5	5	5	5 0	5 3	5 2	15	15 6	15	15

WRITTEN EXERCISE.

$$5-1=$$
; $5-4=$; $5-5=$; $5-0=$; $5-0=$; $5-3=$; $5-2=$.

(1)

 $565,555,555$
 $223,340,511$
 $332,215,044$
 $565,650,434,753,213$

15-9- ;	15-6= ;	15-	-9;	15-	-6.
(3) 665	(4) 6,665	(5) 66,565		(6) 66,665	-0.
330	4,516	24,639		66,969	
356	2,149	41,926		99,696	
15-8= ;	15-7= ;	15 -	=7:	15-	-8.
(7) (8)	(9)	(10)		(11)	-0.
665 665 288 177	665	566,665		865,605	
	378	138,769	_	187,229	
	287	127,896		178,376	
A 100	12)		(13)		
3,273	,560,005 ,638,238	19,	387,776	605	
		9,	898,979	687	
2,892,	921,767	9,8	88,796,	978	
(14)	. (1	5)	(10	3)	
601,005 238,326	1,590	0,008	9,658	.017	
	632	,538	2,864	,539	
362,679	967	7,467	6,793	.478	
(17) 7,689,010	(18	3)	(19))	
3,889,245		0,015	15,601	,000	
			7,342	,643	
3.799.765	368, 46	7.667	8,258	.357	
	Table Endir	ıg in 4.	29		

ORAL EXERCISE.

1	3	4	40	4 2	14 5	14 9	14	14	14
-	_	-	-	-	-	_	•	•	0

WRITTEN EXERCISE.

$$4-1=$$
; $4-3=$; $4-4=$; $4-0=$; $4-2=$.

	44.					
	(1)			(3)		
44	14,444,444		894	,787,65	6,444	
20	04,032,231		452,	,234,1 9	0,241	
2	40,412,213		442	,553,52	6,203	
14-5=	; 14-9	- ;	14-	-9 ;	14-	-5.
	(3)			(4)		
	5,454,454			,445,5		
	1.535,325		8	3,523,5	55	
3	3,919,129		_1	,921,9	99	
	(5)			(6)		
	,454,454		5	,445,5	54	
_1	1.939,329		3	,923,9	99	
3	3.515,125		1	,521,5	55	
	(7)			(8)		
4	,455,554		44	5,445,8	554	
_2	,325,995			2,923,9		
2	1,129 559		13	2,521.	595	
	(9)			(10)		
	7,799,764		5,0	05,095	458	
25	8,454,979		2,5	43,439	,509	
29	9,344,785		2.4	61,655	,949	
		14-7=	.			
	(11)			(12)		
5	5,545,454		14	,795,0	04	
2	7.774,727		5	429,2	37	
2	7.770,727		9	,365,7	87	
		(13)			
		967,888 579,892				
		387.992				
		001.882	,001			

14-6-	; 14-8= ;	14- =8; 14- =6.
	(14) 5,454,454	(15)
		5,445,554
	1,636,326	3,623,666
	3.818,128	1,821,888
	(16)	(17)
	5,445,554	445,445,554
	3,823,888	312.823,868
	1,621,666	132,621,686
	(18)	(19)
	55,545,554	1,447,879,004
2	86,862,597	830,379,426
2	68,682,957	617,499,578

Table Ending in "3."

ORAL EXERCISE.

3	3 2	3	3	13 9	13	13	13	13 7	13
-	_	_	_					•	_

WRITTEN EXERCISE.


$$3-1=$$
; $3-2=$; $3-3=$; $3-0=$; $13-9=$; (1)

4,433,333 1,990,321	(2) 343,333,443 129,230,299
2,443,012	214,103,144
(3)	(4)

343,344,443	434,434,34 3
119,319,999	141,440,434
224,024,444	292,993,909


	(5) 443,444,443 149,121,994		434,43 291,44) 4,443 2,994	
	294,322,449		142,99	1,449	
		(7) 130,754,003 40 384,759 90,369,244			
	13-8	= ; 13-	-5-		
2	(8) 443 ,888 ,555	(9) 444,334,443 288,830,888 155,503,555	1	(10) 44,433 95,851 48,582	
	(11) 14,443,333 5,984,032 8,459,301		(12) 1,839,4- 894,88	59	
	0, 200,001		944.58	39	
13 7 -	; 13-6=	; 13-	-7;	13 –	-6
	(13)		(14)		
	444,443		1,354,4	48	
	167,667		726,0	78	
	276,776		628,3	65	
	(15)			_	
	14,444,006		(16)	40	
	4,867,236		197 ,944 ,0 98 ,476, 3	13 97	
	9,576,769			_	
			99,467,6		
14	(17) 1,045,764,340		(18)		
6	,426,380,734	1,	400,434,4	133	
	,619,383,606		635,071,8		
·	,,000,000		765,362,8	40	

	(19) 1,378,401,304,003 622,125,703,524								
	756	,275.	600,4	79	-		94,348 19,329		
		1	able	Endi	ing in	1 11 2.	,,,		
			Oı	LAL E	XBROI	AE.			
1	2 2	0	12 6	12	12	12	12 8	12 5	12 7
			Wai	TTEN	Exam	CISE.	_		_
	2-	-1-	3	2-2	- ;	2	-0-	•	
				222,2 100,2	1) 22,222 22,111 00,111				
			-6-	;	12		6.		
	3.2	(2) 123,33	3.2			2.5	(3) 23,33	10	
	1,0	312,60	36			1,6	60,66	6	
		310,66	36			1,6	62,66	6	
12 – 3 =	. 1		-9-	3	12-	-9	;	12-	-3,
	3,222	(4) ,833,	332		,	143,20	(5)	339	
	1,602	,133.	333			79,90	2.966	.193	
	1,620				-	63,30	0,366	,139	
2-4-	•	(6)	-8-	\$	12 –	-4		12-	-8.
1	133,32	3,238	,332		2	83,32	(7) 3 ,202 .	232	
-	89,34	2,618	,844		1	26,431	.400,	128	
-	43,98	0,614	,488		10	06,891	,802,	104	



MICROCOPY RESOLUTION TEST CHART

(ANSI and ISO TEST CHART No. 2)





APPLIED IMAGE Inc

1653 East Main Street Rochester, New York 14609 USA (716) 482 - 0300 - Phone

(716) 288 - 5989 - Fax

12-5=; $12-7=$;	12- =5; 12- =7.
(8)	(9)
123,323,332	12,233,332
72,771,555	7.015,757
50,551,777	5,217,575
(10) 33,333,332	(11)
16,758,493	333,333,332
	158,673,649
16,574,839	174.659,683
$\begin{array}{r} \textbf{(12)} \\ \textbf{13,483,002,812} \\ \textbf{7.791,936,324} \end{array}$	(13) 432,833,383,000 17,339,725,924
5,691,066,488	415,493,657,076
(14) 512,932,054,434 25,135,019,166	(15) 833,432,963,802 545,637,598,346
487,797,035,268	287,795,365,456

Table Ending in "1."

ORAL EXERCISE.

1 1 —	1 0 —	11 2 —	11 9 —	11 3 —	11 8 —	11 4	11 7	11 5	11 6
			W	ritten	EXER	CISE.			

$$1-1=$$
; $1-0=$; $11-2=$; $11-9=$; $11-8=$; $11-$

(1) 122,221,111	(2) 21,222,221 3,199,283		
83,922,101			
38,299,010	18,022,938		

11-4=	; 11-7=	;	11- =	=4;	11 -	= 7.
1	(3) 11,222,221 7,177,444 4 044,777		4	(4) 12,222 01,987 10,234	,324	
11 - 5 =	; $11-6=$;	11- =	·5;	11-	-= 6.
	(5) 12,221,221 5,655,165 6,566,056		5	(6) 2,210, 7,650, 4,560,	016	
	(7) 222,222,221 965,748,392			(8) 2,222,2 2,463,8		
2	256,473,829		3	9.758,6	324	
34	(9) ,863,223,001 ,872,529,248		13,010 9,250		00 101 23,654	
687	.990,693,753		3.760	.378,9	76 447	

Review Work on any Combination.

	EXERCISE 1.	
(1) 80,008 31,243		(2) 180,009 93, 524
48,765		86.485
(3) 1,000,000 293,784	(4) 1,000,000 467,312	(5) 1,000,000,103 101,092,028
706,216	532,688	898.908,075

EXERCISE 17.

(1)	(2)
8,000,000,1 0 1	484,030,298,046
2,080,109,173	128,910,012,031
5,919,890,928	355,120,286,015
(3)	(4)
840,000,364,201	430,790,010,112
120,731,892,109	124.730,913.871
719,268,472,092	306.059,096,241

(5) 3,000,801,800,103 1,287,121,073,109 1,713,680,726,994

PROBLEMS.

Exercise I.

Find the sum of .

1. 150, 23, 47, 8 and 31. [Ans. 259.]

2. Thirty-six; Forty-eight; Twenty; Fifty-nine;

Three. [Ans. 166.]

3. One hundred and twenty-one; Three hundred and eight; Seventy-nine; One hundred and fifteen. [Ans. 623.]

623.]
4. The odd numbers between 2 and 12. [Ans. 35.]
5. The even numbers between 1 and 11. [Ans. 30.]

Exercise II.

Find the value of:

1. 19-3+6+8-5+17-14. [Ans. 28.]

2. 84-13-27+76-41+12. Ani 91.

3. 12+16-15+97-34-29. [Ans. 47.]

4. 76-39+98+84-25-23. [Ans. 171.] 5. 274+153-326+282-108. [Ans. 275.]

Exercise III.

1. What number must I add to 84 to make 113? [Ans. 29.]

2. What number must I add to 538 to make nine hundred and nine 2 [Ann. 1971.]

dred and nine? [Ans. 371.]

3. What number must I add to four hundred and seven to make 1,074? [Ans. 667.]

4. What number must I add to five thousand and

seventy to make ten thousand? [Ans. 4,930.]

5. What number must I add to seventy-one thousand three hundred and one to make 100,000? Write answer in words. [Ans. Twenty-eight thousand six hundred and ninety-nine.]

(91)

Exercise IV.

1. What number must I take from 121 to make 34? Ans. 87.

2. What number must I take from 5,372 to make two thousand one hundred and seventy-six? [Ans. 3,196.]

3. What number must i take from thirty-eight thousand and six to make 18,439? [Ans. 19,567.]

4. What number must I take from one million to make seven hundred and forty-two thousand and eighty-one?

Ans. 257,919.]

5. What number must I take from one million and one to make eight hundred thousand and two? Write answer in words. [Ans. One hundred and ninety-nine thousand nine hundred and ninety-nine.]

Exercise V.

1. Take the sum of 56 and 93 from 618. Ans. 469.7 2. Take the sum of 382 and 296 from one thousand and

one. [Ans. 323.]

3. Take the sum of all the numbers between 18 and 24 from three hundred. [Ans. 195.]

4. Take the sum of all the numbers ending in "2"

between 30 and 70 from 286. [Ans. 98.]

5. Take the sum of one hundred and one; two hundred and ninety; fifteen; four hundred and eighty, from 1,000, and write answer in words. [Ans. One hundred and fourteen.

Exercise VI.

1. From the sum of 493 and 197 take the difference between these two numbers. [Ans. 394.]

2. From the sum of six thousand and six and 2,914 take the difference between these two numbers. [Ans. 5,828.1

3. From the sum of 4,005 and two thousand three hundred and twenty take the difference between these

two numbers. [Ans. 4,640.]

4. From the sum of 42,619 and 6,235 take the difference between 9,307 and 3,128. [Ans. 42,675.]

5. From 58,642+17,939 take the difference between them. [Ans. 35,878.]

Exercise VII.

1. How much less is 293 than 621? [Ans. 328.]

How much less is 2,004 than 29.001? [Ans. 26,997.]
 How much greater is 856 than 389? [Ans. 467.]

4. How much greater is ten thousand than 3,004?

5. How many more in ten thousand than in two thousand and two? [Ans. 7,998.]

Exercise VIII.

1. Take 5,796,337 from 8,375,420. [Ans. 2,579,083.]
2. Find the difference between 3,421,008,001 and

1,301.643,927. [Ans. 2,119 364,074.]

3. From two thousand five hundred and four take 1,897. Write answer in words. [Ans Six hundred and seven.]

4. Add 68 to the difference between 1,123 and 249.

[Ans. 942.]

5. Find the difference between 847 and 468 and to the remainder add one hundred. [Ans. 479.]

Exercise IX.

1. The addends are :-

Eight hundred and four; four hundred and five; five thousand nine hundred and fourteen; seven thousand and thirty-six.

Find their sum and take it from one hundred thousand

[Ans. 85,841.]

2. Find the result of 2,453+7,305-4.379. [Ans. 5,379]
3. Find the result of 2,742-1,006+2,135. [Ans. 3,871.]

4. Begin at 182 and subtract by 3's as far as possible. [Ans. 182: 179: 176, etc.]

5. Begin at 101 and subtract by 6's as far as possible.

[Ans. 101; 95; 89, etc.]

Exercise X.

1. Subtract 215 from 691. [Ans. 476.]

2. Subtract 135 from 225+882. [Ans. 972.]

3. The minuend is 2.040 and the subtrahend is 1,191. Find the remainder. [Ans. 849.]
4. The minuend is 1,763 and the subtrahend is 984.

What is the difference? [Ans. 779.]

5. From 40,263 take 12.' 7 and from the remainder take 10,424. [Ans. 17,272

Exc. se XI.

1. How many days altogether in the three months, March, April and May? Give your answer in words; also in Roman numerals. [Ans. Ninety-two days; XCII.]

2. How many days in the summer mo. .? In the autumn months? Give the sum of the two answers in

Roman numerals. [Ans. CLXXXIII.]

3. Add 25 cents; 33 cents; 82 cents; 10 cents; 8 cents; 18 cents; 50 cents. [Ans. \$2.26.]

4. Add \$1.25; \$3.05; \$2; 75 cents; \$5.08; \$0.03.

Ans. \$12.16.

5. Out of a ten dollar bill a farmer spent \$7.08. What money had he left? [Ans. \$2.92.]

Exercise XII.

1. Make the largest number that can be made from the three figures 1, 5 and 9; and from it take 237. [Ans.

2. Make the smallest number that can be made from the figures 8, 0, 4 and 6; and from it take 189. [Ans.

3. From the largest number that can be made from the figures 4, 5 and 3 take the smallest number that can be

made from the same figures. [Ans. 198.]

4. Take the smallest number to be made from the figures 2, 9 and 1 from the largest number to be made from the figures 1, 6 and 3. [Ans. 502.]

5. Subtract the largest number to be made from the figures 9, 0, 2 and 5 from ten thousand and one. [Ans. 481.]

Exercise XIII.

1. John had read in his Reader as far as lesson XXXIV. Write this in figures. [Ans. 34.]

2. Write in Roman numerals: 18; 13; 49; 81; 100; 22. [Ans. XVIII.; XIII.; XLIX.; LXXXI.; C.;

XXII.]

3. Write in figures: XLIII.; LXVIII.; CIV.; XCIX.; M.; DCCXXXI. [Ans. 43; 68; 104; 99; 1000; 731.]

4. I had three Roman coins on which were these dates: DLV.; CCVIII.; CDX. Write in figures. [Ans. 555; 208; 410.]

5. In these books I saw these dates :

Andersen's Fairy Tales......DCCCXL.; Robinson CrusoeOMLXXXVIII.

Write in figures. [Ans. 840; 988.]

Exercise XIV.

1. Sam's father gave him for a Xmas present 5 tencent pieces. He spent 25 cents on a book for his sister and 11 cents on marbles. How much had he left? [Ans. 14 cents.]

2. Tom had a dollar bill and he gave his 2 brothers 30 cents each. How much had he left? [Ans. 40 cents.]

3. How much would I have left out of a two dollar bill if I gave 50 cents for a knife, 15 cents for a ball and 10 cents for a slate? [Ans. \$1.25.]

4. A boy had \$5; his sister \$6; his mother \$50 and his father \$100. How much money had they altogether?

[Ans. \$161.]

5. Fanny had 75 cents. She gave her brother 25 cents and her sister 15 cents. How much had she left for herself? [Ans. 35 cents.]

Exercise XV.

1. Willie's brother is 15 years old; how much longer must be live to be 27 years of age? [Ans. 12 years.]

2. Jennie had 17 marks less in her examination than her friend Annie, who had 94 marks. Low many marks

had Jennie? [Ans. 77 marks.]

3. Our school had 23 boys and 29 girls on opening day; but after a week 8 girls more came and 2 boys left to go How many scholars are in the school? [Ans. 58 scholars.]

4. John was born in 1875 and lived till 1894.

old was he? [Ans. 19 years.]

5. Charlie's mother had an old book of fairy tales, which was given to her in the year 1854. She gave it away in the year 1883. How long had she the book? [Ans. 29 years.]

Exercise XVI.

1. A room is 16 feet wide and 24 feet wide.

the distance around it? ['ns. 80 feet.]

2. James had 75 marbles. His uncle gave him 19 more. Then James gave his cousin 27. How many has James left for himself? [Ans. 67 marbles.]

3. Tom's father bought a house and lot for \$4,750. The house cost \$3,065. What did the lot cost? [Ans.

31,685.7

4. The hall in May's house is 4 feet wide and 18 feet long. How many feet will May walk to go around the

hall once? [Ans. 44 feet.]

5. The cloth on our teacher's table is 2 feet wide and 5 feet long. How many feet of fringe will it take for trimming? [Ans. 14 feet.]

Exercise XVII.

1. George was practising at pitching the ball. threw it 19 feet. How far will he have to walk to go and get the ball and return to the place where he started throwing? [Ans. 38 feet.]

2. Charles was in the orchard and he threw an apple 13 feet to his right, and another apple 15 feet to him left. How many feet apart were the apples? [Ans. 28

teet,

3. A boy slings a stone 35 feet up the road and another stone 29 feet down the road. How far apart are the two stones? [Ans. 64 feet.]

4 Mr. Smith lives 98 miles east of Toronto, and Mr. Brown lives 47 miles west of Toronto. How far apart do

they live ? [Ana. 145 miles.]

5. Edith lived 176 yards north of the school and Mabel lived 228 yards south of the school. How much nearer the school did Edith live? [Ans. 52 ys. ds.]

Exercise XVIII.

1. Maggie and Ettie picked 123 pints of berries in the holidays; if Maggie picked 79 pints, how may pints did Ettie pick? [Ans. 44 pints.]

2. Annie's Sunday School prize book has 463 pages in it. She has read 189 pages. How many has she still

left to read? [Ans. 274 pages.]

3. Inan orchard there were 58 more apple trees than peach trees. There were 113 peach trees. How many trees altogether in the orchard? [Ans. 284 trees.]

4. A farmer had 250 sheep. He sold 115 to a butcher and 17 of the others took sick and died: How many had

he left? [Ans. 118 sheep.]

5. Fred is making a collection of stamps. He has 57 now. Hew many more must be get to have 123? [Ans. 66 stamps]

Exercise XIX.

1. Dr. Brown left his office and rode 7 miles to see a little boy who had hurt his foot. Then he returned to his office and went out again, riding 12 miles to a sick man. After returning to his office the second time how many miles had the doctor ridden altogether? And how much is it less than 50 miles? [Ans. 38 miles; 12 miles.]

2. A newsboy buys 35 papers on Monday, 47 on Tuesday, 59 on Wednesday, 61 on Thursday, 70 on Friday and 83 or Saturday. How many papers did he sell that

week if he sold all but 18? [Ans. 337 papers]

3. In a box of chestnuts there were five hundred and eleven nuts. Frank took 123 out and his sister took out

34 less than he did. How many were left in the box? [Ans. 299 chestnuts.]

4. Jim drives the cows twice a day to be milked. How many times will he have driven them in the summer months? [Ans. 184 times.]

5. In what year was a man born who died in 1871 at the age of 94? [Ans. In 1777.]

Exercise XX.

1. A grocer has three boxes filled with eggs; the first contains 2,007; the second contains 128 less than the first; and the third contains as many as the first and second together less 9. How many eggs in the three boxes?

[Ans. 7,763 eggs.]

2. Tom had 415 marbles, his aunt gave him 29 less than 227, then he gave his brother Jack and his cousin Bert 158 each. How many had Tom left? [Ans. 297 marbles.]

3. A bicycle dealer owes \$1,850; if he had \$8 less than \$600 he could pay all he owes. How much money has he? [Ans. \$1,258.]

4. A man bought a farm for \$8,790; he spent \$538 for new sheds and \$897 for cattle. He then sold out the whole for \$12,000. Did he gain or lose, and how much?

[Ans. \$1.775 gain.]

5. Mr. and Mrs. King and their two children, Fred and Maud. got weighed. Mr. King weighed 150 pounds more than his daughter; Mrs. King weighed 108 pounds less than Mr. King; Fred weighed 42 pounds more than his mother; Maud weighed 97 pounds. What did the others weigh, and how much did the whole family weighaltogether? Ans. Mr. King 247 pounds; Mrs. King 139 pounds; Fred 181 pounds; whole family 664 pounds.

Exercise XXI.

1. Mr. Brown, a farmer, had \$1,225.75 in the Bank of Commerce. He drew out eighty-five dollars to buy a bicycle for his son John. In a week. Mr. Brown put in the bank three hundred dollars and sixty-five cents. He drew out again ninety dollars and sixteen cents for re-

pairing his barn. How much had he left in the bank?

Ans. \$1,351.24.7

2. William, Fred and John are three brothers. Their father died leaving his money willed to them in this way: William was to receive \$11,985; Fred, one hundred and eighty-nine dollars less than William; and the aum of William's and Fred's money less nine thousand and eighty-four dollars was what John was to receive. What was Fred to receive? What was John to receive? What was their father worth? [Ans. Fred, \$11,796; John, \$14,697; Father was worth \$38,478.]

3. A man bought a house and ground for \$9,265; he built an extension to the house which cost him \$1,836. The house was then destroyed by fire and he received three thousand seven hundred and five dollars from the insurance company. How much did he lose? [Ans.

27,396.7

4. A man had four money boxes. He put two thousand five hundred and six dollars in the first box; one thousand nine hundred and eighteen dollars in the second box. In the third box he put as much as in the first and second together. How much was in the fourth box, supposing he was worth ten thousand dollars? [Ans. \$1,152.]

5. A wholesale tea merchant buys six thousand and sixty pounds of tea. He has four ches to put it in. The first holds one thousand and ten poun; the second holds one hundred and one pounds less than the first; the third holds as much as the first and second less ninety pounds. How much must the fourth hold? [Ans. 2,312 pounds.]

Exercise XXII.

1. John Porter owed James Smith \$8,000 less \$179. He paid his debt by giving some property and two thousand eight hundred and fifty three dollars in cash. How much was the property supposed to be worth? [Ans. \$4,968.]

2. I purchased a house, paying eight thousand dollars. I then spent one hundred and eighteen dollars less than six hundred dollars in improvements; after this I decided to sell. Mr. Clark bought from me for nine thousand and fifty dollars How much did I make? [Ans. \$568.]

3. William has \$201.63; John has \$13.49 less than William and \$9.39 more than James. Fred has as much as John and James together. How much money has

Fred? [Ans. \$366.89.]

4. James Robertson, hardware merchant, had at the beginning of the day \$648.25 in his safe; he received during the day \$237.19; he paid out the same day \$30 less 11 cents. How much cash had he in his safe at the end of the day? [Ans. \$855.55.]

5. A bicycle dealer received during the day \$510. He paid out during the day the sum of \$18.19 and \$13.08.

What did he make that day? [Ans. \$478.73.]

Exercise XXIII.

1. Mr. Thompson has \$175 worth of poultry. He sold them so as to make \$20 less 91 cents; what was the selling

price of the poultry? [Ans. \$194.09.]

2. An exhibition is visited by ten thousand two hundred and fifty-one persons on Monday; nine thousand and six persons on Tuesday; 3,984 persons on Wednesday; the difference between Monday and Wednesday will give the number who attended on Thursday; the sum of Tuesday and Thursday will give the number who attended Friday. On Saturday there were ninety persons less in attendance than on Friday. How many persons visited the exhibition on Saturday? [Ans. 15,174 persons.]

3. A man owing two thousand dollars less three hundred and three dollars paid at one time eleven dolllars less than eight hundred dollars, and at another time five hundred dollars. How much does he still owe? [Ans. \$468.]

4. A man who owes fifteen hundred dollars paid at one time three hundred and one dollars; and at another time the difference between \$826 and \$349; and the third time he paid the remainder. How much did he pay the third

time? [Ans. \$722.]

5. A man bought a farm for \$6,987; he spent two thousand and twenty dollars for improvements and three hundred dollars for stock. He then sold the whole for nine thousand two hundred and fifty dollars; did he gain or lose, and how much? [Ans. He lost \$57.]

Exercise XXIV.

1. A farmer's horses, cattle and sheep number nineteen less than one hundred and fifty. He has 15-horses; 68 more cattle than horses. How many sheep has he?

[Ans. 33 sheep.]

2. A man who had to collect money from four men received altogether \$1,639; from the first he got four hundred and fifty-eight dollars; from the second sixty-nine dollars more, and from the third ninety-three dollars less than this. How much did he receive from the fourth? Ans. \$289.1

3. A span of horses weigh 2,475 pounds. One weighs the sum of 618 and 689 pounds. What does the other weigh? Write answer in words, also in Roman numerals. [Ans. 1,168 pounds; one thousand one hundred and

sixty eight; MCLXVIII.]

4. The population of three towns is as follows: The first is nineteen thousand three hundred and eighty-five; the second is one thousand and nineteen less than the first; and the third is nine hundred and eighty-nine less than the second. What is the population of the third town ? [Ans. 17,377.]

5. John Reid bought of Thomas Gibson 923 acres of land for twenty-five thousand dollars. For 416 acres he paid thirteen thousand three hundred and seventy-one dollars. How many acres were in the remainder? And what money did it cost? [Ans. 507 acres; \$11,629.]

Exercise XXV.

1. A farmer bought two hundred and fifty cows for five thousand three hundred and thirty dollars. He fed them for one year at an expense of \$2,000 less fifty dollars, and then sold the entire herd for six thousand one hundred and ninety-nine dollars. How much did he gain [Ans. He lost \$108.] or lose?

2. A drover bought one hundred and ninety-three sheep It cost \$120 to get them to market. Eight sheep died on the way, which was a loss of \$40. He sold the remainder for \$1,480. What did he gain? [Ans.

\$355 gain.]

3. A harvest workman earned \$79 by working a certain number of days He bought a coat which cost \$11.69; a railway ticket which cost \$4.85; and a pair of boots for \$3.50. What had he left to spend after putting \$25.00 in the bank? [Ans. \$33.96.]

4. There were two candidates in an election. The whole number of votes was two thousand four hundred and eighty-six. The defeated person got nine hundred and two votes; what was the majority? [Ans. 682.]

5. A man bought a steamer for thirty thousand dollars. He paid \$12,695 in cash, and \$3.898 less in goods. The remainder he gave in property. What was the land worth? [Ans. \$8,508.]

Exercise XXVI.

1. In a battle the number of soldiers in the regiments was ten thousand and eighty; of these 419 were killed; six hundred less twenty-three were wounded. How many uninjured remained? [Ans. 9,084.]

2. I sold my house for \$6,550; my furniture for \$4,-050 less than my house; my barn and contents for \$750 more than my furniture. How much cash did I receive? Write answer in words. [Ans. Twelve thousand three hundred dollars.]

3. Frank White decided to sell his farm. The auctioneer's charges were five dollars and three cents. The lawyer's expenses were fifteen dollars and sixty-nine cents. How much did he receive if the farm sold for seven thousand dollars less twenty-three dollars? [Ans. \$6,956.28.]

4. A man who put his money into gold mines gained \$6,395. But the next day he lost \$127+\$396. In a few months, however, he made three thousand and ten dollars and immediately lost two hundred and five dollars. How much more did he gain than lose on the whole? [Ans. \$8,677.]

5. A man bought five houses for twenty thousand dollars. For the first he paid \$250 more than for the second, but \$330 less than for the third, for which he paid \$4,308. The fifth cost him \$789 less than the third. How much did he pay for the fourth house? [Ans. \$4,467.]

"SCHOOL HELPS" SERIES

CANADIAN HISTORY NOTES, for 3rd, 4th and 5th Classes.

By G. E. Henderson, Editor of THE CANADIAN TEACHER and THE ENTRANCE; and C. G. Fraser, Assistant Master in Gladstone Ave. School, Toronto, Price, 25 cents.

BRITISH HISTORY NOTES, for 3rd, 4th and 5th Classes.

By G. E. Henderson and C. G. Fraser. Price, 15 cents.

GEOGRAPHY NOTES, for 3rd, 4th, and 5th Classes.

By G. E. Henderson, and G. A. Fraser, Hawkesville, Ont. Price, 15 cents.

EXERCISES IN ARITHMETIC FOR FIFTH CLASSES.

By G. E. Henderson and E. W. Bruce, M.A. Price, 25 cents. Teachers' edition, containing answers, 20 cents.

EXERCISES IN ARITHMETIC FOR FOURTH CLASSES.

By G. E. Henderson, and W. E. Groves, Principal Church Street Model School, Toronto. Price, 15 cents. Teachers' Edition, containing Answers, 20 cents.

EXERCISES IN ARITHMETIC FOR THIRD CLASSES.

By G. Henderson, and E. W. Bruce, M.A., Principal Huron Street School, Toronto. Price, 25 cents. Teachers' Edition, containing Answers, so cents.

EXERCISES IN ARITHMETIC FOR SECOND CLASSES.

By G. E. Henderson and E. W. Bruce, M.A. Price, 22 cents. Teachers' Edition, containing Answers, 25 cents.

EXERCISES IN ARITHMETIC FOR FIRST BOOK TEACHERS.

By G. E. Henderson, and Miss R. Church, Miss A. Harding, Teachers in Church Street School, Toronto. Price, 20 cents. (This book is devoted to the teaching of Notation, Addition and Subtraction.)

NOTES ON PHYSIOLOGY AND TEMPERANCE.

By G. E. Henderson and C. G. Fraser. Price, 15 cents.

MALO PLACES IN GRANNAR MADE BAST.

By A. B. Cushing, B.A., English Master in Ecour High School 1 a work for Teachers, Public School Leaving, and Primary Students. Price, so cents.

- EXERCISES IN GRAMMAN FOR THIRD AND FOURTH CLASSES
 By G. E. Henderson and Geo. A. Frasez. Price, 15 cents.
- LANGUAGE LESSONS FOR FIRST, SECOND AND THIRD CLASSES

By G. E. Handerson and C. G. Fraser. Price, 25 cents.

EXERCISES IN COMPOSITION FOR FOURTH AND FIFTH

By G. E. Henderson and C. G. Fraser. Price, 25 cents.

- PHONICS, VOCAL EXPRESSION AND SPELLING

 By Miss R. M. Church and Miss A. A. Harding, Toronto.

 Price,
 30 cents.
- By Taylor. Price, 1s cents.
- SUMMARY OF CANADIAN HISTORY IN VERSE.

 By G. W. Johnson, Upper Canada College. Price, 10 cents.
- Pamphlet form with subjects grouped for class use. By G. E. Handerson. Price, 10 cents; er, in clubs of two or more, 7 cents.
- PUBLIC SCHOOL LEAVING PAPERS.

 Arranged same as Entrance, at same price.

Sent Portpaid on ressipt of price. Address-

THE EDUCATIONAL PUBLISHING CO.

TORONTO. ONT

Morman H Russell Museday June 1st 1906

